



DATE: Oct 09, 2025

QUOTE:340381-02

CITY OF LAREDO---PUBLIC UTILITIES
PO BOX 210
LAREDO, TEXAS 78042-0210

Morado, Remy
956.373.0787

Ron Miller

BUY BOARD QUOTE

CONTRACT #685-22

One (1) New Caterpillar Inc Model: AP1000 Paving and Compaction with all standard equipment in addition to the additional specifications listed below:

DATE: Oct 09, 2025 QUOTE #:Quote 340381-02

MACHINE SPECIFICATIONS

DESCRIPTION	REF.#	PRICE
AP1000 07A WHL ASPHALT PAVER	605-6103	\$477,505.60
LANE 3 ORDER	0P-9003	\$0.00
HOPPER, STD ENTRY, LOW SIDE	602-7230	\$0.00
APRON, STR HYD FOLD, STD ENTRY	565-4368	\$7,103.20
FLASHING, STR HYD FOLD SE	603-0631	\$0.00
PLATE, STANDARD WEAR LIFE	397-2328	\$0.00
PUSH ROLLER, OSCILLATING	416-4116	\$5,855.20
HITCH, HYD PREP, TRACTOR	396-7137	\$1,976.00
MAINFRAME, NO POWER EXTENSION	423-7851	\$0.00
AUGER 18" EXTENSION PER SIDE	438-6252	\$3,348.80
ADAPTER, VIBE SCREED	416-4120	\$0.00
TANK, WASHDOWN	399-8388	\$4,097.60
ENGINE, CAT C7.1	391-0832	\$0.00
DRIVE TIRE, SAND RIB	448-4429	\$176.80
BOGIE SYSTEM, STANDARD	396-4181	\$0.00
LIGHTS, WORKING	424-0927	\$1,045.20
SENSOR, FEEDER, SONIC	609-8693	\$5,376.80
SEAT, VINYL, BASIC	484-7546	\$0.00
VENTILATION SYSTEM, NO CANOPY	396-7158	\$11,544.00
PRODUCT LINK, CELLULAR PLE641	497-3500	\$0.00
CYLINDER KIT, STANDARD	437-1410	\$0.00
COMMISSIONING, NOT NEEDED	0P-2587	\$0.00
INSTRUCTIONS, ANSI	603-1472	\$0.00
PAINT, STANDARD, ANSI/ISO	567-0751	\$0.00
PANEL, POWER SUPPLY	416-2013	\$9,162.40

DESCRIPTION	REF.#	PRICE
UMBRELLA, CAT	187-6649	\$247.52
LIGHT, HAZARD	198-8284	\$1,019.20
CONTROL, BASE CAT G&S SYSTEM	606-6217	\$11,450.40
SENSOR, SLOPE	362-8687	\$3,900.00
SENSOR, GRADE, SONIC	602-9481	\$12,708.80
BEAM, SONIC AVERAGING, CAT G&S	417-1907	\$23,618.40
CASE, SONIC SENSOR	491-0721	\$341.12
GUIDE, STEERING	273-9969	\$925.60
INDICATOR, TOW POINT	416-4105	\$920.40
KIT, UPTIME	458-4087	\$1,211.60
HOSE, REEL WITH WAND	605-5644	\$2,605.20
VISORS, DISPLAY, TRACTOR	490-4132	\$1,102.40
FLASHING, SIDE, SHORT	567-5095	\$1,336.40
SCREED, SE60 V	453-6578	\$123,874.40
BEAM GP-TRANSV	398-3160	\$0.00
LINES GP-GREASE	428-4875	\$0.00
BOX GP-ELEK	437-0045	\$0.00
PLATFORM GP-OPR	437-0049	\$0.00
CROWN GP-BASIC	437-0050	\$0.00
ARM GP-DROP	437-9828	\$0.00
WALKWAY GP	453-6579	\$0.00
MOTOR GP-MTG &	460-6056	\$0.00
WIRING GP-HEAT	460-7289	\$0.00
LINES GP-HYD 2	463-7114	\$0.00
VALVE GP-MTG&	460-6356	\$0.00
LINES GP-AUX HYD	460-7185	\$0.00
LUBRICANT GP	460-7401	\$0.00
VIBRATOR GP	472-4892	\$0.00
CONTROL GP-MTG&	473-3300	\$0.00
WIRING GP-SCREED	473-3303	\$0.00
LINES GP-VIB	473-3306	\$0.00
FRAME GP-SCREED	482-9810	\$0.00
GATE GP-END	609-4337	\$0.00
ADJUSTER GP-HGT	656-2667	\$0.00
PROCEDURE-RTD	460-7409	\$0.00
CYLINDER KIT, STANDARD	461-7477	\$0.00
FILMS, ANSI	449-8858	\$0.00
EXT, POWER FOR MANUAL ENDGATE	460-8038	\$0.00
ENDGATE, ADJUSTABLE CRANK	538-9613	\$0.00
HEATER, ENDGATE	490-1681	\$2,912.00
STANDARD, SCREED PLATE SYSTEM	641-8290	\$0.00
PLATES, STD WEAR LIFE WEAR	619-8874	\$7,342.40
VISORS, DISPLAY	467-0083	\$447.20
CONTROL, PENDANT	473-3322	\$3,224.00
MOUNT, SWIVEL CONTROLS	480-7055	\$1,726.40
UMBRELLA, SCREED OPERATOR	467-4275	\$894.40
PACK, DOMESTIC TRUCK	0P-0210	\$0.00

Total Machine & Attachment List Price	\$728,999.00
Minimum Buy Board Discount 8% off list price	\$58,319.92
Holt Governmental Discount	\$81,679.08

SALE PRICE	\$589,000.00
EXT WARRANTY	Included
TOTAL PRICE	\$589,000.00
SUB TOTAL	\$589,000.00
TOTAL PURCHASE PRICE	\$589,000.00

WARRANTY

Standard Warranty:	12 Months/Unlimited Hours Total Machine
Extended Warranty:	48 MO/6000 HR POWERTRAIN + HYDRAULICS + TECH

STANDARD EQUIPMENT

POWERTRAIN -CAT C7.1 ACERT, inline 6-cylinder, -turbocharged diesel, engine, 168 kW -(225 HP) EPA tier 4 final emissions - certified -Air cleaner, dry-type dual element with -integral precleaner -Air-to-air after cooler (ATAAC) -Belt, automatic tensioner - Demand fans (2) -Diesel particulate filter -Fuel filter / water separator -Fuel priming pump, electric -Propel system - direct hydrostatic, -dual path drive, electronic control --Dual braking systems(service & parking) --Dual propel pump and motor system --2-speed planetary, 1-speed motor --Propel modes, pave/travel/maneuver --Speed control system --Wheels, front (4), solid rubber on - bogie axles -

ELECTRICAL -Alarm, back-up -Alternator, 100-amp -Batteries, two maintenance free, -1400 CCA each -CAT ET diagnostic connector -

OPERATOR ENVIRONMENT -Power assist steering -Throttle control, high/low idle, -Eco-mode and variable, electronic -

APPLICATION SPECIFIC COMPONENTS -Adjustable height augers, hydraulic -

OPERATOR ENVIRONMENT -Platform handrails / guardrails -Lockable vandalism guards -Instrumentation, dual LCD touchscreens -Hour meter -Hopper wing control, independent -12 V aux power port --Toggle switches for control functions --Propel lever with speed control dial --Ground speed indicator --Cup holder -Control and propel consoles, tilting -Dual, swing-out operator stations - Automatic engine speed control -diagnostics -system with advanced element -Electronic monitoring and warning

ELECTRICAL -slope ready machine wiring -Plug and play aftermarket grade and -Starting and charging system, 24-volt -Remote jump start receptacle -Product link system (varies by market) -Machine security system wire-ready -Horn, forward warning - Integrated high performance generator

APPLICATION SPECIFIC COMPONENTS -cast ni-hard steel, split segment, -

OTHER STANDARD EQUIPMENT -pump drive, material feed -planetaries) -Slow moving vehicle sign (for AM-N) -S.O.S. sampling ports -Sound-suppression insulation kit -Steering guide (1) -Tow point indicator scales, lower -Vandalism protection caplocks - Bogies, with rubber coated steel wheels -

APPLICATION SPECIFIC COMPONENTS -406 mm (16 in) diameter -Electronic auger/feeder control system --Gateless feeder system --Manual override --Reversible --Variable speed -Heavy-duty feeder flight bars, forged -steel, bushed roller chain -High-hardness, abrasion resistant drag -pans, replaceable -Outboard feeder drives -Remote mounted bearing lube points

FLUIDS -Extended life coolant with protection -to -29F (-34C)

OTHER STANDARD EQUIPMENT -Doors, service access, hinged, locking -Filters, hydraulic, grouped -Fuel tank with sediment drain -348 L (92 gal) -Grouped lube points -Pressure test ports, hydraulic, -quick-connect -Screed counterbalance -Screed lock pins -Sight gauges (engine coolant,

