


PORTABLE FUEL STATION PFS 13



3,500 GALLON PORTABLE FUEL STATION

**DESIGNED TO MINIMIZE YOUR FOOTPRINT
AND MAXIMIZE STORAGE CAPACITY**


NOW WITH

*Single hose dispensing as standard incorporating
high flow or low flow with the flick of a switch
Up to 2,000 Users and Vehicles, RFID tags included*

OPTIONS

*Remote access via the internet
Dual hose dispensing incorporating high flow
or low flow with the flick of a switch*

FuelMe



SAFETY FEATURES

-  GES innovative 2" mechanical overfill protection allowing fuel company to deliver at 160 gallons per minute flow rates right up to the safe fill level of the tank saving time and money on fuel company deliveries
-  Tank supplied as standard with 15 amp single phase 3 pin electrical cord connection to internal distribution board and isolation RCD's saving on onsite installations costs.
-  Controlled operation prevents pump burnout when the fuel level gets too low
-  Audible overfill alarms that indicate when the product is too high or too low
-  Product-level temperature monitoring
-  Emergency stop switches
-  Pump bay fluorescent light




FUEL MANAGEMENT SYSTEM


-  Tecalemit FMS 2000 user for the driver, vehicle management and reporting data
-  German designed and manufactured Fuel Management Systems for each tank
-  European developed technology with USB, 3G, and web cloud base options



ONLINE TANK MONITORING

-  GES control ATG remote tank level access gauge via smartphone or web
-  Low-level safety pump interlock
-  Local Display (1-year free subscription)





CERTIFICATIONS

- AS 1692-2006** Steel tanks for flammable and combustible liquids
- AS 1940-2004** Storage and handling of flammable and combustible liquids
- CAN/ULC-S601** Shop fabricated steel aboveground tanks for flammable and combustible liquids
- SANS 10131 Ed.1 (2004)** Above-ground storage tanks for petroleum products
- UL 142** Aboveground flammable liquid tanks

FOR MORE INFORMATION, PLEASE CONTACT

William Marr

bill@fuelme

www.fuelme


+1-708-870-5021 / +1-833-UFUELME

FuelMe



CAPACITY AND PREMIUM QUALITY

-  5,285 gallons safe fill package
-  Large Capacity for up to 2000 users
-  10 year tank structural warranty 2 x 6 mm walls



EASY CUSTOMER RECONCILIATION

**Saves you time and money for each transaction*



User Identification and Vehicle Identification 

Odometer and engine hours 

Time of filling and fuel quantity 



FLOW RATES

-  **PUMP** - Single 1.5 HP submersible turbine ensures the product is always delivered to the dispenser via pressure vs suction so priming lines of an empty tank are not required
-  **DISPENSER** - comes with a fitted filter to prevent fuel containment
-  GES dispenser with High or Low flow switch
-  10 meters retractable hi mast, 1" PR hose and auto nozzle

