



FY22-075 Asphalt Cold Laid Addendum 2

Asphalt Cold Laid LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS OR Hot-Mix Cold-Laid Asphalt Concrete Pavement - Public Works

Issue Date: 6/17/2022

Response Deadline: 7/18/2022 05:00 PM (CT)

City of Laredo Purchasing

Contact Information

Contact: Tania Herrera
Address: Purchasing Division
5512 Thomas Ave
Laredo, TX 78041
Phone: (956) 794-1734
Email: therrera1@ci.laredo.tx.us

Event Information

Number: FY22-075 Asphalt Cold Laid Addendum 2
Title: Asphalt Cold Laid LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE
TYPE 1 GRADE AA PLUS OR Hot-Mix Cold-Laid Asphalt Concrete Pavement -
Public Works
Type: Request For Bid
Issue Date: 6/17/2022
Response Deadline: 7/18/2022 05:00 PM (CT)
Notes: The City of Laredo has established a local vendor preference ordinance 2018-O-175. All informal and formal Requests for bids for contracts will be evaluated with a 5% preference for local vendors

Ship To Information

Contact: Jose A. Valdez, Jr.
Address: City Secretary
City Hall
3rd floor
1110 Houston St
3rd floor
Laredo, TX 78043
Phone: (956) 791-7312

Billing Information

Contact: Jorge Jolly
Address: Accounts Payable
City Hall
2nd
PO Box 210
Laredo, TX 78042
Phone: (956) 791-7326
Email: jjolly@ci.laredo.tx.us

Bid Attachments

Non-Collusive Affidavit Form.pdf

Non-Collusive Affidavit Form

[Download](#)

Form 1295- Certificate of Interested Parties.pdf

Form 1295

[Download](#)

Conflict of Interest Questionnaire-Revised 1-1-2021.pdf

Conflict of Interest Questionnaire (CIQ)

[Download](#)

FY22-075.pdf

Notice to Bidders

[Download](#)

Item 334.pdf

Attachment A

[Download](#)

Notice to Bidders - FY22-075 Addendum 1.pdf

Notice to Bidders - Addendum 1

[Download](#)

Memo - Addendum.pdf

Memo of Addendum

[Download](#)

Notice to Bidders - FY22-075 Addendum 2.pdf

Notice to Bidders - Addendum #2

[Download](#)

Memo - Addendum 2.pdf

Memo - Addendum 2

[Download](#)

CITY OF LAREDO
PURCHASING DIVISION

AFFIDAVIT

Project: FY22-075 Asphalt Cold Laid

Form of Non-Collusive Affidavit

AFFIDAVIT

STATE OF TEXAS {}
COUNTY OF WEBB {}

Berry O'Bryan


Being first duly sworn, deposes and says:

That he/she is Vice President of Anderson Columbia Co., Inc.
(a Partner or officer of the firm of, etc.)

The party making the foregoing SOQ or bid, that such SOQ or bid is genuine and not collusive or sham; that said Bidder has not colluded, conspired, connived or agreed directly or indirectly, with any Bidder or Person, to put in a sham bid or to refrain from bidding, and has not in any manner, directly or indirectly, sought by agreement or collusion, or communication or conference, with any person, to fix the bid price or affiant or of any other Bidder or to fix any overhead, profit or cost element of said bid price, or of that of any other Bidder, or to secure any advantage against the City of Laredo or any person interested in the proposed Contract; and that all statements in said SOQ or bid are true.



Signature of:
Bidder, if the Bidder is an individual
Partner, if the Bidder is a Partnership
Officer, if the Bidder is a Corporation

Subscribed and sworn before me this 18th day of July 20 22.


Notary Public

My commission expires:

08-04-2025



CONFLICT OF INTEREST QUESTIONNAIRE
For vendor doing business with local governmental entity

FORM CIQ

This questionnaire reflects changes made to the law by H.B. 23, 84th Leg., Regular Session.

This questionnaire is being filed in accordance with Chapter 176, Local Government Code, by a vendor who has a business relationship as defined by Section 176.001(1-a) with a local governmental entity and the vendor meets requirements under Section 176.006(a).

By law this questionnaire must be filed with the records administrator of the local governmental entity not later than the 7th business day after the date the vendor becomes aware of facts that require the statement to be filed. See Section 176.006(a-1), Local Government Code.

A vendor commits an offense if the vendor knowingly violates Section 176.006, Local Government Code. An offense under this section is a misdemeanor.

OFFICE USE ONLY

Date Received

1 Name of vendor who has a business relationship with local governmental entity.
Anderson Columbia Co., Inc.

2 ☐ Check this box if you are filing an update to a previously filed questionnaire. (The law requires that you file an updated completed questionnaire with the appropriate filing authority not later than the 7th business day after the date on which you became aware that the originally filed questionnaire was incomplete or inaccurate.) N/A

3 Name of local government officer about whom the information is being disclosed.

N/A

Name of Officer

4 Describe each employment or other business relationship with the local government officer, or a family member of the officer, as described by Section 176.003(a)(2)(A). Also describe any family relationship with the local government officer. Complete subparts A and B for each employment or business relationship described. Attach additional pages to this Form CIQ as necessary.

A. Is the local government officer or a family member of the officer receiving or likely to receive taxable income, other than investment income, from the vendor?

☐ Yes

☐ No

N/A

B. Is the vendor receiving or likely to receive taxable income, other than investment income, from or at the direction of the local government officer or a family member of the officer AND the taxable income is not received from the local governmental entity?

☐ Yes


☐ No

N/A

5 Describe each employment or business relationship that the vendor named in Section 1 maintains with a corporation or other business entity with respect to which the local government officer serves as an officer or director, or holds an ownership interest of one percent or more.

N/A

6 ☐ Check this box if the vendor has given the local government officer or a family member of the officer one or more gifts as described in Section 176.003(a)(2)(B), excluding gifts described in Section 176.003(a-1). N/A

7 
Signature of vendor doing business with the governmental entity

7/18/22

Date

CONFLICT OF INTEREST QUESTIONNAIRE

For vendor doing business with local governmental entity

A complete copy of Chapter 176 of the Local Government Code may be found at <http://www.statutes.legis.state.tx.us/Docs/LG/htm/LG.176.htm>. For easy reference, below are some of the sections cited on this form.

Local Government Code § 176.001(1-a): "Business relationship" means a connection between two or more parties based on commercial activity of one of the parties. The term does not include a connection based on:

- (A) a transaction that is subject to rate or fee regulation by a federal, state, or local governmental entity or an agency of a federal, state, or local governmental entity;
- (B) a transaction conducted at a price and subject to terms available to the public; or
- (C) a purchase or lease of goods or services from a person that is chartered by a state or federal agency and that is subject to regular examination by, and reporting to, that agency.

Local Government Code § 176.003(a)(2)(A) and (B):

- (a) A local government officer shall file a conflicts disclosure statement with respect to a vendor if:

- (2) the vendor:

(A) has an employment or other business relationship with the local government officer or a family member of the officer that results in the officer or family member receiving taxable income, other than investment income, that exceeds \$2,500 during the 12-month period preceding the date that the officer becomes aware that

- (i) a contract between the local governmental entity and vendor has been executed; or
- (ii) the local governmental entity is considering entering into a contract with the vendor;

(B) has given to the local government officer or a family member of the officer one or more gifts that have an aggregate value of more than \$100 in the 12-month period preceding the date the officer becomes aware that:

- (i) a contract between the local governmental entity and vendor has been executed; or
- (ii) the local governmental entity is considering entering into a contract with the vendor.

Local Government Code § 176.006(a) and (a-1)

- (a) A vendor shall file a completed conflict of interest questionnaire if the vendor has a business relationship with a local governmental entity and:

- (1) has an employment or other business relationship with a local government officer of that local governmental entity, or a family member of the officer, described by Section 176.003(a)(2)(A);
- (2) has given a local government officer of that local governmental entity, or a family member of the officer, one or more gifts with the aggregate value specified by Section 176.003(a)(2)(B), excluding any gift described by Section 176.003(a-1); or
- (3) has a family relationship with a local government officer of that local governmental entity.

- (a-1) The completed conflict of interest questionnaire must be filed with the appropriate records administrator not later than the seventh business day after the later of:

- (1) the date that the vendor:

- (A) begins discussions or negotiations to enter into a contract with the local governmental entity; or
- (B) submits to the local governmental entity an application, response to a request for proposals or bids, correspondence, or another writing related to a potential contract with the local governmental entity; or

- (2) the date the vendor becomes aware:

- (A) of an employment or other business relationship with a local government officer, or a family member of the officer, described by Subsection (a);
- (B) that the vendor has given one or more gifts described by Subsection (a); or
- (C) of a family relationship with a local government officer.



**City of Laredo
Purchasing Division
Notice to Bidders**

Notice is hereby given that the City of Laredo is now accepting sealed bids, subject to the Terms and Conditions of this Invitation for Bids and other contract provisions, for awarding an annual contract for a Primary, Secondary Vendor and/or vendors for the supply of Asphalt Cold Laid LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS for Public Works and various departments. Copies of the specifications may be obtained from Finance Department-Purchasing Division, 5512 Thomas Ave., Laredo, TX 78041 or by downloading from our website: <https://cityoflaredo.ionwave.net/CurrentSourcingEvents.aspx>

Bids can be submitted through Cit-E-Bid procurement system or by hand delivering it to City Secretary Office, 1110 Houston St. 3rd floor, Laredo, TX 78040 until **5:00 P.M. on July 8, 2022** and all bids received will be opened and publicly acknowledge at **11:00 A.M. on July 11, 2022.**

Hand delivered Bids are to be submitted in a sealed envelope clearly marked:


RFB FY22-075 Asphalt Cold Laid LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS - Public Works

Bids are to be submitted through Cit-E-Bid:
<https://cityoflaredo.ionwave.net/Login.aspx>

Hand Delivered:
City of Laredo- City Secretary
C/O Jose A. Valdez, Jr.
City Hall- Third Floor
1110 Houston Street
Laredo, TX 78040

The City of Laredo reserves the right to reject any and all proposals and to waive any minor irregularities.

WITNESS MY HAND AND SEAL, ON THIS 15TH DAY OF JUNE 2022.


Jose A. Valdez, Jr.
City Secretary

Item 334

Hot-Mix Cold-Laid Asphalt Concrete Pavement



1. DESCRIPTION

Construct a cold-laid pavement layer composed of a compacted mixture of aggregate and asphalt material mixed hot in a mixing plant.

This Item governs mixtures designed for cold placement, defined as placement temperatures below 175°F. If the mixture placement temperature is greater than 175°F, then design, produce, place, and compact the mixture in accordance with the applicable hot-mix asphalt specification.

2. MATERIALS

Furnish uncontaminated materials of uniform quality that meet the requirements of the plans and specifications.

Notify the Engineer of all material sources and before changing any material source or formulation. The Engineer will verify that the specification requirements are met when the Contractor makes a source or formulation change, and may require a new laboratory mixture design, trial batch, or both. The Engineer may sample and test project materials at any time during the project to verify specification compliance in accordance with Item 6, "Control of Materials."

- 2.1. **Aggregate.** Furnish aggregates from sources that conform to the requirements shown in Table 1 and as specified in this Section. Aggregate requirements in this Section, including those shown in Table 1, may be modified or eliminated when shown on the plans. Additional aggregate requirements may be specified when shown on the plans. Provide aggregate stockpiles that meet the definitions in this Section for coarse, intermediate, or fine aggregate. Supply aggregates that meet the definitions in Tex-100-E for crushed gravel or crushed stone. The Engineer will designate the plant or the quarry as the sampling location. Provide samples from materials produced for the project. The Engineer will establish the Surface Aggregate Classification (SAC) and perform Los Angeles abrasion, magnesium sulfate soundness, and Micro-Deval tests. Perform all other aggregate quality tests listed in Table 1. Document all test results on the mixture design report. The Engineer may perform tests on independent or split samples to verify Contractor test results. Stockpile aggregates for each source and type separately. Determine aggregate gradations for mixture design and production testing based on the washed sieve analysis given in Tex-200-F, Part II.

- 2.1.1. **Coarse Aggregate.** Coarse aggregate stockpiles must have no more than 20% material passing the No. 8 sieve. Aggregates from sources listed in the Department's *Bituminous Rated Source Quality Catalog* (BRSQC) are preapproved for use. Use only the rated values for hot-mix listed in the BRSQC. Rated values for surface treatment (ST) do not apply to coarse aggregate sources used in hot-mix asphalt.

For sources not listed on the Department's BRSQC:

- build an individual stockpile for each material;
- request the Department test the stockpile for specification compliance; and
- once approved, do not add material to the stockpile unless otherwise approved.

Provide aggregate from non-listed sources only when tested by the Engineer and approved before use. Allow 30 calendar days for the Engineer to sample, test, and report results for non-listed sources.

Provide coarse aggregate with at least the minimum SAC shown on the plans. SAC requirements only apply to aggregates used on the surface of travel lanes. SAC requirements apply to aggregates used on surfaces other than travel lanes when shown on the plans. The SAC for sources on the Department's *Aggregate Quality Monitoring Program (AQMP)* (Tex-499-A) is listed in the BRSQC.

- 2.1.1.1. **Blending Class A and Class B Aggregates.** Class B aggregate meeting all other requirements in Table 1 may be blended with a Class A aggregate to meet requirements for Class A materials. Ensure that at least 50% by weight, or volume if required, of the material retained on the No. 4 sieve comes from the Class A aggregate source when blending Class A and B aggregates to meet a Class A requirement. Blend by volume if the bulk specific gravities of the Class A and B aggregates differ by more than 0.300.

- 2.1.2. **Fine Aggregate.** Fine aggregates consist of manufactured sands, screenings, and field sands. Fine aggregate stockpiles must meet the gradation requirements in Table 2. Supply fine aggregates that are free from organic impurities. The Engineer may test the fine aggregate in accordance with Tex-408-A to verify the material is free from organic impurities. No more than 15% of the total aggregate may be field sand or other uncrushed fine aggregate. Use fine aggregate, with the exception of field sand, from coarse aggregate sources that meet the requirements shown in Table 1 unless otherwise approved.

Test the stockpile if 10% or more of the stockpile is retained on the No. 4 sieve, and verify that it meets the requirements in Table 1 for crushed face count (Tex-460-A) and flat and elongated particles (Tex-280-F).

Table 1
Aggregate Quality Requirements

Property	Test Method	Requirement
Coarse Aggregate		
SAC	<u>Tex-499-A</u> (AQMP)	As shown on the plans
Deleterious material, %, Max	<u>Tex-217-F</u> , Part I	1.5
Decantation, %, Max	<u>Tex-217-F</u> , Part II	1.5
Micro-Deval abrasion, %	<u>Tex-461-A</u>	Note 1
Los Angeles abrasion, %, Max	<u>Tex-410-A</u>	40
Magnesium sulfate soundness, 5 cycles, %, Max	<u>Tex-411-A</u>	30 ²
Crushed face count, ³ %, Min	<u>Tex-460-A</u> , Part I	85
Flat and elongated particles @ 5:1, %, Max	<u>Tex-280-F</u>	10
Fine Aggregate		
Linear shrinkage, %, Max	<u>Tex-107-E</u>	3
Combined Aggregates⁴		
Sand equivalent, %, Min	<u>Tex-203-F</u>	45

1. Not used for acceptance purposes. Used by the Engineer as an indicator of the need for further investigation.
2. Unless otherwise shown on the plans.
3. Only applies to crushed gravel.
4. Aggregates, without mineral filler or additives, combined as used in the job-mix formula (JMF).

Table 2
Gradation Requirements for Fine Aggregate

Sieve Size	% Passing by Weight or Volume
3/8"	100
#8	70–100
#200	0–15

- 2.2. **Mineral Filler.** Mineral filler consists of finely divided mineral matter such as agricultural lime, crusher fines, hydrated lime, or fly ash. Mineral filler is allowed unless otherwise shown on the plans. Use no more than 2% hydrated lime or fly ash unless otherwise shown on the plans. The plans may require or disallow specific mineral fillers. Provide mineral filler, when used, that:

- is sufficiently dry, free-flowing, and free from clumps and foreign matter as determined by the Engineer;
- does not exceed 3% linear shrinkage when tested in accordance with Tex-107-E; and

- meets the gradation requirements in Table 3.

Table 3
Gradation Requirements for Mineral Filler

Sieve Size	% Passing by Weight or Volume
#8	100
#200	55–100

- 2.3. **Baghouse Fines.** Fines collected by the baghouse or other dust-collecting equipment may be reintroduced into the mixing drum.
- 2.4. **Binder Material.** Furnish asphalt binder, primer, additives, and water, unless otherwise shown on the plans.
- 2.4.1. **Asphalt Binder.** Provide the asphalt shown on the plans, meeting the requirements of Item 300, "Asphalts, Oils, and Emulsions."
- 2.4.2. **Primer.** Provide an approved asphalt primer consisting of a blend of asphalt cement and hydrocarbon volatiles.
- 2.4.3. **Water.** Provide water that meets the requirements of Item 204, "Sprinkling."
- 2.4.4. **Additives.** Use the type and rate of additive specified when shown on the plans. Additives that facilitate mixing or improve the quality of the mixture may be allowed when approved. Provide the Engineer with documentation such as the bill of lading showing the quantity of additives used in the project unless otherwise directed.

When lime or liquid antistripping agents is used, add in accordance with Item 301, "Asphalt Antistripping Agents." Do not add lime directly into the mixing drum of any plant where lime is removed through the exhaust stream unless the plant has a baghouse or dust collection system that reintroduces the lime back into the drum.

- 2.5. **Tack Coat.** Furnish CSS-1H, SS-1H, or a performance-graded (PG) binder with a minimum high-temperature grade of PG 58 for tack coat in accordance with Item 300, "Asphalts, Oils, and Emulsions." Specialized or preferred tack coat materials may be allowed or required when shown on the plans. Do not dilute emulsified asphalts at the terminal, in the field, or at any other location before use. The Department may sample the tack coat to verify specification compliance.

3. EQUIPMENT

Provide required or necessary equipment in accordance with Item 320, "Equipment for Asphalt Concrete Pavement."

4. CONSTRUCTION

Design, produce, store, transport, place, and compact the specified paving mixture in accordance with the requirements of this Item. Provide the mix design unless otherwise shown on the plans. The Department will perform quality assurance (QA) testing. Provide quality control (QC) testing as needed to meet the requirements of this Item.

- 4.1. **Mixture Design.**
- 4.1.1. **Design Requirements.** Use the typical weight design example given in Tex-204-E, Part I to design a paving mixture that consists of a uniform mixture of aggregate, asphalt material, primer, additives, and water, if allowed, which meets the requirements shown in Tables 4 and 5, unless otherwise shown on the plans.

Ensure that the mixture leaves the plant in a workable condition. Provide materials that remain workable in a stockpile for at least 6 mo.

Submit a new mixture design at any time during the project. The Engineer must approve all mixture designs before the Contractor can begin production.

4.1.2.

Job-Mix Formula Approval. The job-mix formula (JMF) is the combined aggregate gradation and target asphalt percentage used to establish target values for mixture production. JMF1 is the original laboratory mixture design used to produce the trial batch. The Engineer will verify JMF1 based on plant-produced mixture from the trial batch unless otherwise approved. The Engineer may accept an existing mixture design previously used on a Department project and may waive the trial batch to verify JMF1. Provide the Engineer with split samples of the mixtures and blank samples used to determine the ignition oven correction factors. The Engineer will determine the aggregate and asphalt correction factors from the ignition oven using Tex-236-F.

Table 4
Master Gradation Limits (% Passing by Weight or Volume) and VMA Requirements

Sieve Size	A Coarse Base	B Fine Base	C Coarse Surface	D Fine Surface	F Fine Mixture
2"	100.0 ¹	—	—	—	—
1-1/2"	98.0–100.0	100.0 ¹	—	—	—
1"	78.0–94.0	98.0–100.0	100.0 ¹	—	—
3/4"	64.0–85.0	84.0–98.0	95.0–100.0	100.0 ¹	—
1/2"	50.0–70.0	—	—	98.0–100.0	100.0 ¹
3/8"	—	60.0–80.0	70.0–85.0	85.0–100.0	98.0–100.0
#4	30.0–50.0	40.0–60.0	43.0–63.0	50.0–70.0	70.0–90.0
#8	22.0–36.0	29.0–43.0	32.0–44.0	35.0–46.0	38.0–48.0
#30	8.0–23.0	13.0–28.0	14.0–28.0	15.0–29.0	12.0–27.0
#50	3.0–19.0	6.0–20.0	7.0–21.0	7.0–20.0	6.0–19.0
#200	2.0–7.0	2.0–7.0	2.0–7.0	2.0–7.0	2.0–7.0
Design VMA,² % Minimum					
—	12.0	13.0	14.0	15.0	16.0
Production (Plant-Produced) VMA,² % Minimum					
—	11.5	12.5	13.5	14.5	15.5

1. Defined as maximum sieve size. No tolerance allowed.

2. Voids in mineral aggregates.

Table 5
Laboratory Mixture Design Properties

Property	Test Method	Requirement
Target laboratory-molded density, % ¹	Tex-207-F	92.5 ± 1.5
Hveem stability, Min	Tex-208-F	35
Hydrocarbon-volatile content, %, Max	Tex-213-F	0.6
Moisture content, %, Max ²	Tex-212-F	1.0
Boil test, %, Max ³	Tex-530-C	10

1. Unless otherwise shown on the plans.

2. Unless otherwise approved.

3. Limit may be increased or eliminated when approved.

4.2.

Production Operations. Perform a new trial batch when the plant or plant location is changed. Take corrective action and obtain approval to proceed after any production suspension for noncompliance to the specification.

4.2.1.

Stockpiling of Aggregates. Provide a smooth and well-drained area, cleared of trash, weeds, and grass. Build stockpiles in a manner that will minimize aggregate degradation and segregation. Avoid contamination and mixing of stockpiles. Provide aggregate stockpiles for a minimum of 2 days' production before beginning plant operations. Maintain at least a 2-day aggregate supply through the course of the project unless otherwise directed. Stockpile aggregate for each source and type separately. The Engineer may reject stockpiled materials that come in contact with the earth or other objectionable material.

- 4.2.2. **Storage and Heating of Asphalt Materials.** Provide enough asphalt material storage capacity to meet the requirements of the plant. Do not heat the asphalt binder above the temperatures specified in Item 300, "Asphalts, Oils, and Emulsions," or outside the manufacturer's recommended values. Keep all equipment used in the storage and handling of asphalt material clean at all times and operate the equipment in a manner that will prevent contamination with foreign matter.
- 4.2.3. **Storage of the Asphalt Mixture.** Store the asphalt mixture in a surge-storage system or in a stockpile. Provide a smooth and well-drained area, cleared of trash, weeds, and grass if the asphalt mixture is stored in a stockpile. Build stockpiles in a manner that will minimize aggregate degradation and segregation. Avoid contamination and mixing of stockpiles.
- 4.2.4. **Mixing and Discharge of Materials.** Produce the mixture at a discharge temperature between 145°F and 275°F, as directed. Do not allow the temperature to vary from the selected temperature by more than 25°F. The Department will not pay for or allow placement of any mixture produced above 300°F.
- 4.2.5. **Moisture Content.** Furnish the mixture at a moisture content of no more than 1% by weight when discharged from the mixer, unless otherwise shown on the plans or approved. Cease operations at moisture contents above 1% until corrective actions reduce moisture content.
- 4.3. **Hauling Operations.** Clean all truck beds before use to ensure mixture is not contaminated. Use a release agent on the Department's MPL to coat truck beds when a release agent is necessary.
- 4.4. **Placement Operations.** Prepare the surface by removing raised pavement markers and objectionable material such as moisture, dirt, sand, leaves, and other loose impediments from the surface before placing mixture. Remove vegetation from pavement edges. Place mixture on the road below 175°F. Place the mixture to produce a smooth, finished surface with a uniform appearance and texture that meet typical section requirements. Offset longitudinal joints of successive courses of mixture by at least 6 in. Place mixture so that longitudinal joints on the surface course coincide with lane lines, or as directed. Ensure that all finished surfaces will drain properly.
- When desired, dump the asphalt mixture in a windrow and then place in the finishing machine with windrow pickup equipment unless otherwise shown on the plans. Prevent the windrow pickup equipment from contaminating the mixture.
- Defer compaction after placing the paving mixture, as directed, to allow for volatilization. Allow the previous course to dry and cure before placing the next course when placing more than one pavement course. Consider the course cured if the hydrocarbon volatile content of the mixture is 0.4% or less by weight of the mixture when tested according to Tex-213-F unless otherwise directed.
- Use a motor grader to spread the mixture when shown on the plans or approved. Thoroughly aerate the mixture and spread into place with a power motor grader in a uniform layer. Placement in narrow strips or small irregular areas may require hand spreading.
- 4.4.1. **Weather Conditions.** Place the mixture when the roadway surface temperature is 60°F or higher unless otherwise approved. Place mixtures only when weather conditions and moisture conditions of the roadway surface are suitable in the opinion of the Engineer unless otherwise shown on the plans.
- 4.4.2. **Tack Coat.** Clean the surface before placing the tack coat. Apply tack coat uniformly at the approved rate unless otherwise directed. The Engineer will set the rate between 0.04 and 0.10 gal. of residual asphalt per square yard of surface area. Apply a thin, uniform tack coat to all contact surfaces of curbs, structures, and joints. Prevent splattering of the tack coat when placed adjacent to curb, gutter, and structures. Roll the tack coat with a pneumatic-tire roller when directed.
- 4.5. **Compaction.** Furnish the type, size, and number of rollers required for compaction as approved. Furnish at least one medium pneumatic-tire roller (minimum 12-ton weight). Use the control strip method given in

Tex-207-F, Part IV, to establish rolling patterns that achieve maximum compaction. Follow the selected rolling pattern unless changes that affect compaction occur in the mixture or placement conditions. Establish a new rolling pattern when such changes occur. Compact the pavement to the cross-section of the finished paving mixture meeting the requirements of the plans and specifications. Operate vibratory rollers in static mode when not compacting, changing directions, or when the plan depth of the pavement mat is less than 1-1/2 in. unless otherwise directed.

Start by first rolling the joint with the adjacent pavement and then continue by rolling longitudinally at the sides when rolling with 3-wheel tandem or vibratory rollers. Proceed toward the center of the pavement, overlapping on successive trips by at least 1 ft., unless otherwise directed. Make alternate trips of the roller slightly different in length. Begin rolling at the low side on superelevated curves and progress toward the high side unless otherwise directed.

Avoid displacement of the mixture. Correct any displacement that may occur to the satisfaction of the Engineer. Ensure pavement is fully compacted before allowing rollers to stand on the pavement. Use only water or an approved release agent on rollers, tamps, and other compaction equipment unless otherwise directed. Keep diesel, gasoline, oil, grease, and other foreign matter off the mixture.

Use tamps to thoroughly compact the edges of the pavement along curbs, headers, and similar structures and in locations that will not allow thorough compaction with the rollers. The Engineer may require rolling with a trench roller on widened areas, in trenches, and in other limited areas.

Allow the compacted pavement to cool to 160°F or lower before opening to traffic unless otherwise directed. Sprinkle the finished mat with water or limewater, when directed, to expedite opening the roadway to traffic.

4.6.

Production Testing and Operational Tolerances. The aggregate gradation and the asphalt binder content of the produced mixture must not vary from the JMF by more than the percentage point tolerances shown in Table 6. The gradation of the produced mixture may fall outside the master grading limits for any of the sieve sizes from the 1-1/2 in. through the No. 50 sieve if it is within the JMF tolerances. The aggregate gradation of the No. 200 sieve may not exceed the master gradations shown in Table 4. Any sieve size shown in Table 4 with 100% passing requirements will be allowed a 2% tolerance before the material is considered out of specification.

The Engineer may allow alternate methods for determining the asphalt content and aggregate gradation if the aggregate mineralogy is such that Tex-236-F does not yield reliable results. Provide evidence to the Engineer that results from Tex-236-F are not reliable before an alternate method will be allowed. Use the applicable test procedure as directed if an alternate test method is allowed.

Cease production if 3 consecutive tests indicate that the material produced exceeds the tolerances shown in Table 6 for any individual sieve or laboratory-molded density until corrective actions are taken and the results approved. Cease production if 2 consecutive tests indicate that the asphalt binder content tolerances shown in Table 6 are exceeded until corrective actions are taken and the results approved.

Cease production if the Hveem stability shown in Table 5 is not met for 3 consecutive tests until corrective actions are taken and the results approved.

Table 6
Operational Tolerances

Property	Test Method	Operational Tolerance From JMF
Individual % retained for sieve sizes smaller than 1-1/2" and larger than #8	Tex-200-F	±5.0
Individual % retained for sieve sizes smaller than #8		±3.0
Asphalt binder content, %	Tex-236-F	±0.3
Laboratory-molded density, %	Tex-207-F	±1.0

- 4.7. **Irregularities.** Immediately take corrective action if surface irregularities, including segregation, rutting, raveling, flushing, fat spots, mat slippage, color, texture, roller marks, tears, gouges, streaks, or uncoated aggregate particles are detected. The Engineer may suspend production or placement operations until the problem is corrected.

Remove and replace any mixture that does not bond to the existing pavement or has other surface irregularities identified above at the expense of the Contractor and to the satisfaction of the Engineer.

- 4.8. **Ride Quality.** Use Surface Test Type A to evaluate ride quality in accordance with Item 585, "Ride Quality for Pavement Surfaces," unless otherwise shown on the plans.

5. MEASUREMENT

This Item will be measured by the ton of composite asphalt concrete mixture of the type used in the completed and accepted work. Measure the weight on scales in accordance with Item 520, "Weighing and Measuring Equipment. "

For mixture produced by a weigh-batch plant or a modified weigh-batch plant, measurement will be determined on the batch scales unless surge-storage or stockpiling is used. Keep records of the number of batches, batch design, and the weight of the composite asphalt concrete mixture. The composite asphalt concrete mixture is defined as the asphalt, primer, aggregate, additives, and any residual moisture that is not designated to be deducted. Where surge-storage or stockpiling is used, measurement of the material taken from the surge-storage bin or stockpile will be made on truck scales or suspended hopper scales.

6. PAYMENT

The work performed and materials furnished in accordance with this Item and measured as provided under Article 334.5., "Measurement," will be paid for at the unit bid price for "Hot-Mix Cold-Laid Asphalt Concrete Pavement" of the mixture type, SAC, and asphalt binder specified.

This price is full compensation for surface preparation, materials including tack coat, placement, equipment, labor, tools, and incidentals.

Payment adjustment for ride quality, when required, will be determined in accordance with Item 585, "Ride Quality for Pavement Surfaces."



City of Laredo
Purchasing Division
Notice to Bidders

Addendum #1

REC'D CITY SEC OFF
JUN 22 '22 AM 11:43

Notice is hereby given that the City of Laredo is now accepting sealed bids, subject to the Terms and Conditions of this Invitation for Bids and other contract provisions, for awarding an annual contract for a Primary, Secondary Vendor and/or vendors for the supply of Asphalt Cold Laid LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS OR Hot-Mix Cold-Laid Asphalt Concrete Pavement for Public Works and various departments. Copies of the specifications may be obtained from Finance Department-Purchasing Division, 5512 Thomas Ave., Laredo, TX 78041 or by downloading from our website:

<https://cityoflaredo.ionwave.net/CurrentSourcingEvents.aspx>

Bids can be submitted through Cit-E-Bid procurement system or by hand delivering it to City Secretary Office, 1110 Houston St. 3rd floor, Laredo, TX 78040 until **5:00 P.M. on July 8, 2022** and all bids received will be opened and publicly acknowledge at **11:00 A.M. on July 11, 2022.**

Hand delivered Bids are to be submitted in a sealed envelope clearly marked:

RFB FY22-075 Asphalt Cold Laid LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS or Hot-Mix Cold-Laid Asphalt Concrete Pavement - Public Works

Bids are to be submitted through Cit-E-Bid:


<https://cityoflaredo.ionwave.net/Login.aspx>

Hand Delivered:

City of Laredo- City Secretary
C/O Jose A. Valdez, Jr.
City Hall- Third Floor
1110 Houston Street
Laredo, TX 78040

The City of Laredo reserves the right to reject any and all proposals and to waive any minor irregularities.

WITNESS MY HAND AND SEAL, ON THIS 22TH DAY OF JUNE 2022.


Jose A. Valdez, Jr.
City Secretary



City of Laredo Purchasing Division

June 22, 2022

Addendum #1

Ref: Bid: FY22-075 RFB Asphalt Cold Laid

To all Interested Vendors, please note the following modifications to the Bid:

BID NAME : FY22-075 Asphalt Cold Laid Addendum 1 (Asphalt Cold Laid LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS OR Hot-Mix Cold-Laid Asphalt Concrete Pavement - Public Works)

BID LINE ITEM 1 :

Notice is hereby given that the City of Laredo is now accepting sealed bids, subject to the Terms and Conditions of this Invitation for Bids and other contract provisions, for awarding an annual contract for the supply of Asphalt Cold Laid for Public Works and various City of Laredo Departments.

BID LINE ITEM 2

1.0 Scope of Work: The City is requesting bids for the following material: LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS OR Hot-Mix Cold-Laid Asphalt Concrete Pavement.

BID LINE ITEM 7

6.0 Hot-Mix Cold-Laid Asphalt Concrete Pavement Specifications - See Attachment A

BID LINE ITEM 12

SECTION I

Asphalt Cold Laid Material (Commercial = LRA PREMIX TYPE D PLUS)

Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

BID LINE ITEM 13

SECTION II

Asphalt Cold Laid Material (Commercial = LRA PREMIX TYPE D PLUS)

Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

BID LINE ITEM 14

SECTION III

Flexible Base (Commercial = LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS)

Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

BID LINE ITEM 15

SECTION V

Flexible Base (Commercial = LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS)

Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

BID LINE ITEM 16

SECTION VI

Hot-Mix Cold-Laid Asphalt Concrete Pavement (Item 334 from Texas Department of Transportation)

Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

BID LINE ITEM 17

SECTION VII

Hot-Mix Cold-Laid Asphalt Concrete Pavement (Item 334 from Texas Department of Transportation)

Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks


ATTRIBUTES LINE ITEM 1

AWARD BY SECTION

This contract will be awarded by section to the lowest responsive responsible bidder(s) primary and secondary vendors, in accordance to the provisions of Chapters 252 and 271 of the State of Texas - Local Government Code

If there are any questions concerning this Addendum, please contact me at (956)794-1731.

Sincerely,



Miguel A. Pescador
Purchasing Agent

XC Purchasing File



City of Laredo
Purchasing Division
Notice to Bidders
Addendum #2

Notice is hereby given that the City of Laredo is now accepting sealed bids, subject to the Terms and Conditions of this Invitation for Bids and other contract provisions, for awarding an annual contract for a Primary, Secondary Vendor and/or vendors for the supply of Asphalt Cold Laid LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS OR Hot-Mix Cold-Laid Asphalt Concrete Pavement for Public Works and various departments. Copies of the specifications may be obtained from Finance Department-Purchasing Division, 5512 Thomas Ave., Laredo, TX 78041 or by downloading from our website:

<https://cityoflaredo.ionwave.net/CurrentSourcingEvents.aspx>

Bids can be submitted through Cit-E-Bid procurement system or by hand delivering it to City Secretary Office, 1110 Houston St. 3rd floor, Laredo, TX 78040 until **5:00 P.M. on July 18, 2022** and all bids received will be opened and publicly acknowledge at **2:00 P.M. on July 19, 2022.**


Hand delivered Bids are to be submitted in a sealed envelope clearly marked:

RFB FY22-075 Asphalt Cold Laid LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS or Hot-Mix Cold-Laid Asphalt Concrete Pavement Addendum #2- Public Works

Bids are to be submitted through Cit-E-Bid: https://cityoflaredo.ionwave.net/Login.aspx	Hand Delivered: City of Laredo- City Secretary C/O Jose A. Valdez, Jr. City Hall- Third Floor 1110 Houston Street Laredo, TX 78040
--	---

The City of Laredo reserves the right to reject any and all proposals and to waive any minor irregularities.

WITNESS MY HAND AND SEAL, ON THIS 29TH DAY OF JUNE 2022.


Jose A. Valdez, Jr.
City Secretary



City of Laredo Purchasing Division

June 30, 2022

Addendum #2

Ref: Bid: FY22-075 RFB Asphalt Cold Laid

To all Interested Vendors, please note the following modifications to the Bid:

BID LINE ITEM 1

Copies of the specifications may be obtained from the Finance Department – Purchasing Division, 5512 Thomas Ave., Laredo, TX 78041 or by downloading from our website: <http://www.cityoflaredo.com/bids.html> and clicking on Cit-E-Bid icon. Bids can be hand delivered to City Secretary Office, 1110 Houston St., 3rd. Floor, Laredo, Texas 78040 or submitted through Cit-E-Bid system until 5:00 P.M. on July 18, 2022 and all submitted bids received will be opened and publicly acknowledged at 2:00 P.M. on July 19, 2022.

BID LINE ITEM 12

SECTION I - DELIVERY AND PICK UP

Asphalt Cold Laid Material (Commercial = LRA PREMIX TYPE D PLUS)

Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

QTY: 50,000 Tons

BID LINE ITEM 13, 15, 17 Deleted as part of the Addendum

BID LINE ITEM 14

SECTION II - DELIVERY AND PICK UP

Flexible Base (Commercial = LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS)

Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

QTY: 50,000 Tons

BID LINE ITEM 16

SECTION III DELIVERY AND PICK UP

Hot-Mix Cold-Laid Asphalt Concrete Pavement TYPE D- (Item 334 from Texas Department of Transportation)

Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

QTY: 50,000 Tons

If there are any questions concerning this Addendum, please contact me at (956)794-1731.

Sincerely,

Miguel A. Pescador
Purchasing Agent

XC Purchasing File

Requested Attachments

Non-Collusive Affidavit Form

(Attachment required)

This form must be notarized and submitted with your response.

Certificate of Interested Parties

Form 1295 is to be submitted upon award of bid

Conflict of Interest Form

(Attachment required)

Vendor needs to address if there is a conflict of interest, CIQ form has to be submitted with your response.

Bid Attributes

1	Award By Section
	This contract will be awarded by section to the lowest responsive responsible bidder(s) primary and secondary vendors , in accordance to the provisions of Chapters 252 and 271 of the State of Texas – Local Government Code
	☒ Yes <i>(Required: Check if applicable)</i>
2	<i>Attribute deleted as part of an Addendum</i>

3 Acknowledgement of Addendum #2

Addendum #2

To all Interested Vendors, please note the following modifications to the Bid:

BID LINE ITEM 1

Copies of the specifications may be obtained from the Finance Department – Purchasing Division, 5512 Thomas Ave., Laredo, TX 78041 or by downloading from our website: <http://www.cityoflaredo.com/bids.html> and clicking on Cit-E-Bid icon. Bids can be hand delivered to City Secretary Office, 1110 Houston St., 3rd. Floor, Laredo, Texas 78040 or submitted through Cit-E-Bid system until 5:00 P.M. on July 18, 2022 and all submitted bids received will be opened and publicly acknowledged at 2:00 P.M. on July 19, 2022.

BID LINE ITEM 12

SECTION I - DELIVERY AND PICK UP

Asphalt Cold Laid Material (Commercial = LRA PREMIX TYPE D PLUS)

Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

QTY: 50,000 Tons

BID LINE ITEM 13, 15, 17 Deleted as part of the Addendum

BID LINE ITEM 14

SECTION II - DELIVERY AND PICK UP

Flexible Base (Commercial = LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS)

Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

QTY: 50,000 Tons

BID LINE ITEM 16

SECTION III DELIVERY AND PICK UP

Hot-Mix Cold-Laid Asphalt Concrete Pavement TYPE D- (Item 334 from Texas Department of Transportation)

Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

QTY: 50,000 Tons

☒ I acknowledge this section
(Required: Check if applicable)

4 Acknowledgement of Addendum #1

Addendum #1

Ref: Bid: FY22-075 RFB Asphalt Cold Laid To all Interested Vendors, please note the following modifications to the Bid:

BID NAME : FY22-075 Asphalt Cold Laid Addendum 1 (Asphalt Cold Laid LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS OR Hot-Mix Cold-Laid Asphalt Concrete Pavement - Public Works)

BID LINE ITEM 1 : Notice is hereby given that the City of Laredo is now accepting sealed bids, subject to the Terms and Conditions of this Invitation for Bids and other contract provisions, for awarding an annual contract for the supply of Asphalt Cold Laid for Public Works and various City of Laredo Departments.

BID LINE ITEM 2 1.0 Scope of Work: The City is requesting bids for the following material: LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS OR Hot-Mix Cold-Laid Asphalt Concrete Pavement.

BID LINE ITEM 7 6.0 Hot-Mix Cold-Laid Asphalt Concrete Pavement Specifications - See Attachment A

BID LINE ITEM 12 SECTION I Asphalt Cold Laid Material (Commercial = LRA PREMIX TYPE D PLUS) Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

BID LINE ITEM 13 SECTION II Asphalt Cold Laid Material (Commercial = LRA PREMIX TYPE D PLUS) Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

BID LINE ITEM 14 SECTION III Flexible Base (Commercial = LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS) Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

BID LINE ITEM 15 SECTION V Flexible Base (Commercial = LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS) Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

BID LINE ITEM 16 SECTION VI Hot-Mix Cold-Laid Asphalt Concrete Pavement (Item 334 from Texas Department of Transportation) Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

BID LINE ITEM 17 SECTION VII Hot-Mix Cold-Laid Asphalt Concrete Pavement (Item 334 from Texas Department of Transportation) Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

ATTRIBUTES LINE ITEM 1 AWARD BY SECTION This contract will be awarded by section to the lowest responsive responsible bidder(s) primary and secondary vendors, in accordance to the provisions of Chapters 252 and 271 of the State of Texas – Local Government Code

☒ I acknowledge this section

(Required: Check if applicable)

5 Terms and Conditions for Request for Bids

TERMS AND CONDITIONS OF INVITATIONS FOR BIDS GENERAL CONDITIONS Bidders are required to submit bids upon the following expressed conditions:

(a) Bidders shall thoroughly examine the specifications, schedule instructions and other contract documents. Once the award has been made, failure to read all specifications, instructions, and the contract documents, of the City shall not be cause to alter the original contract or for a vendor to requests additional compensation.

(b) Bidders shall make all investigations necessary to thoroughly inform themselves regarding facilities and locations for delivery of materials and equipment as required by the bid conditions. No pleas of ignorance by the bidder of conditions that exist or that may hereafter exist as a result of failure or omission on the part of the bidder to make the necessary examinations and investigations, or failure to fulfill in every detail the requirements of the contract documents, will be accepted as a basis for varying the requirements of the City or the compensation to the vendor.

(c) Bidders are advised that City contracts are subject to the all legal requirements provided for in the City Charter and/or applicable City Ordinances, State and Federal Statutes.

1.0 PREPARATION OF BIDS Bids will be prepared in accordance with the following:

(a) All information required by the bid form shall be furnished. For hand delivered submittals only, the vendor shall print or type the business name and manually sign the schedule. For electronic submittals, this information shall be submitted electronically on Cit-E-Bid system.

(b) Unit prices shall be shown and where there is an error in extension of price, the unit price shall govern.

- (c) Alternate bids will not be considered unless authorized by the invitation for bids or any applicable addendum
- (d) Proposed delivery time must be shown and shall include Sundays and holidays
- (e) Bidders will not include Federal taxes or State of Texas limited sales tax in bid prices since the City of Laredo is exempt from payment of such taxes. An exemption certificate will be furnished upon request.
- (f) The City shall pay no costs or other amounts incurred by any entity in responding to this RFB, or as a result of issuance of this RFB.

2.0 DESCRIPTION OF SUPPLIES Any catalog or manufacturer's reference used in describing an item is merely descriptive, and not restrictive, unless otherwise noted, and is used only to indicate type and quality of material. Bidder is required to state exactly what they intend to furnish; otherwise bidder shall be required to furnish the items as specified.

3.0 SUBMISSION OF BIDS

- (a) Bids and changes thereto shall be enclosed in sealed envelopes, properly addressed and to include the date and hour of the bid opening and the material or services bid on shall be typed or written on the face of the envelope. If submitted electronically, this information shall be submitted electronically on Cit-E-Bid system.
- (b) Unless otherwise noted on the Notice to Bidders cover sheet, all hand delivered bids must be submitted to the Office of the City Secretary, City Hall, 1110 Houston Street.
- (c) Bids forms can be downloaded and printed through Cit-E-Bid. **Mailed Bids (i.e. USPS, FedEx, UPS), telegraphic, or facsimile bids will not be considered.**
- (d) Samples, when required, must be submitted within the time specified, at no expense to the City of Laredo. If not destroyed or used up during testing, samples will be returned upon request at the bidder's expense.
- (e) Bids must be valid for a minimum period of sixty (60), or up to ninety (90) days. An extension to hold bid pricing for actual quantity bids may be requested by the City.

4.0 REJECTION OF BIDS The City may reject a bid if:

- (a) Bidder misstates or conceals any material fact in the bid.
- (b) Bid does not strictly conform to the law or the requirements of the bid.
- (c) Bidder is in arrears on existing contracts or taxes with the City of Laredo.
- (d) If bids are conditional. Bidder may qualify their bid for acceptance by the City on an "ALL OR NONE" basis. An "ALL OR NONE" basis bid must include all items in the specifications.
- (e) In the event that a bidder is delinquent in the payment of City taxes on the day the bids are opened, including state and local taxes, such fact shall constitute grounds for rejection of the bid or cancellation of the contract. A bidder is considered delinquent, regardless of any contract or agreed judgments to pay such delinquent taxes.
- (f) No bid submitted herein shall be considered unless the bidder warrants that, upon execution of a contract with the City of Laredo, bidder will not engage in employment practices such as discriminating against employees because of race, color, sex, creed, or national origin. Bidder will submit such reports as the City may therefore require assuring compliance with said practices.
- (g) The City may reject all bids or any part of a bid whenever it is deemed necessary.
- (h) The City may waive any minor informalities or irregularities in any bid.

5.0 WITHDRAWAL OF BIDS Bids may not be withdrawn after they have been publicly opened, unless approved by the City Council.

6.0 LATE BIDS OR MODIFICATIONS Bids and modifications received after the time set for the bid deadline will not be considered. Late bids will be returned to the bidder unopened.

7.0 CLARIFICATION OR OBJECTION TO BID SPECIFICATIONS If any person contemplating submitting a bid for this contract is in doubt as to the true meaning of the specifications, or other bid documents or any part thereof, they may submit to the City Purchasing Agent on or before seven (7) calendar days prior to the scheduled bid deadline a request for clarification which must be submitted in writing through email seven (7) days prior to the scheduled date for opening to: CITY OF LAREDO PURCHASING AGENT Miguel A. Pescador 5512 Thomas Ave, Laredo, TX 78041 mpescador@ci.laredo.tx.us or Questions & Responses section on Cit-E-Bid system. Any vendor submitting questions shall make reference to a specific bid number, section, page and item of this solicitation. In case there are changes, additions, and/or edits to the original scope of work, and addendum will be issued by the purchasing agent to all vendors through Cit-E-Bid system under Questions and Responses section to clarify any inquiries. The City will not be responsible for any other explanations or interpretations of the proposed bid made or given prior to the bid opening or award of contract.

- (a) Protest Procedures: The purpose of this procedure is to establish procedures whereby a vendor may protest specific procurement actions by the City of Laredo. The following sequence of activities must take place in filing a protest:
- (b) To be performed by protesting vendor: Within ten (10) days prior to the time that the City Council considers the recommendation of the City's Purchasing Officer, the protesting vendor must provide written protest to the City Purchasing Officer. Such protest must include specific reasons for the protest.
- (c) To be performed by City's Purchasing Officer: Shall review the records of procurement and determine legitimacy and procedural correctness. With five (5) working days, the City Purchasing Officer shall provide written response to the protesting vendor of the decision.

(d) If the protesting vendor is not satisfied with the decision of the City Purchasing Officer, such protesting vendor may appeal to the City Manager of the City of Laredo. If the protesting vendor cannot resolve the issue with the City Manager, he shall be entitled to address his concerns when the City Council of the City of Laredo considers the awarding of the contract. Such appeal may be made only after exhausting all administrative procedures through the City Manager. All protests must be duly submitted via Certified Mail to: City of Laredo - Purchasing Agent 5512 Thomas Ave. Laredo, Texas 78041.

8.0 BIDDER DISCOUNTS

(a) Percent discounts within a certain period of time will be accepted but cannot be used in the bid evaluation. The period of the discount offered should be sufficient to permit payments within such period in the regular course of business by the City of Laredo.

(b) In connection with any discounts offered, time will be computed from the date of receipt of supplies or service or from the date a correct invoice is received, whichever is the later date. Payment is deemed to be made on the date the check is mailed.

9.0 INTENT OF CONTRACT a) ANNUAL SUPPLY/SERVICE CONTRACTS: This contract does not commit the City to purchase the quantities indicated. The quantities are estimates and are based on the best available information. The purpose of this contract is to establish prices for the commodities or services needed, should the City need to purchase these commodities or services. Since the quantities are estimates, the City may purchase more than the estimated quantities, less than the estimated quantities, or not purchase any quantities at all. The needs of the City shall govern the amount that is purchased. All annual contracts shall be bound by the terms of the bid documents. In the event a new contract cannot be executed on the anniversary date of the original term or renewal term, the contract may be renewed month to month until a new contract is executed. The City's obligation for performance of an annual supply contract beyond the current fiscal year is contingent upon the availability of appropriated funds from which payments for the contract purchases can be made. If no funds are appropriated and budgeted during the next fiscal year, this contract becomes null and void.

10.0 AWARD OF CONTRACT (a) This contract will be awarded to the (lowest responsive responsible bidder), in accordance to the provisions of Chapters 252 and 271 of the State of Texas – Local Government Code.

(b) The City reserves the right to accept any item or group of items in the bid specifications, unless the bidder qualifies its bid by specific limitation. Proof: The bidder shall bear the burden of proof of compliance with the City of Laredo specifications.

(c) A written award of acceptance (a duly approved purchase order or Letter of Award) furnished by the City to the successful bidder results in a binding contract without further action by either party. These Terms and Conditions shall be the basis and governing document of the binding contract.

(d) Prices must be quoted F.O.B. Destination, Laredo, Texas, unless otherwise specified in the invitation to bid. The place of delivery shall be that set forth in the bid specifications and/or purchase order.

(e) Title & Risk of Loss: The title and risk of loss of goods shall not pass to the City of Laredo until the City actually receives and takes possession of the goods at the point or points of delivery. The terms of this agreement is "no arrival, no sale".

(f) Delivery time and prompt payment discounts will be considered in breaking ties. In the event of a tie bid, the successful bidder will be determined by choosing lots at the City Council meeting chambers.

(g) The City of Laredo shall give written notice to the contractor (supplier) if any of the following conditions exist:

1. Contractor does not provide materials in compliance with specifications and/or within the time schedule specified in bid.
2. Contractor neglects or refuses to remove materials or equipment which have been rejected by the City of Laredo if found not to comply with the specifications.
3. The contractor makes an unauthorized assignment for the benefit of any contractor.

Upon receiving written notification from the City that one of the above conditions has occurred, the contractor must remedy the problem within ten (10) calendar days, to the complete satisfaction of the City, or the contract will be immediately canceled.

11.0 PAYMENT & INVOICING

(a) All invoices to the City of Laredo have a 30 day term from receipt of supplies or completion of services.

(b) Discount terms will be computed from the date of receipt and acceptance of supplies or services. Payment shall be deemed to be made from that date.

(c) All invoices must show the purchase order number and invoices shall be legible. Items billed on invoices should be specific as to applicable stock, manufacturer catalog or part number. All items must show unit prices. If prices are based on discounts from list, then list prices must appear on bid schedule. All invoices shall be mailed to the Accounts Payable Office, City Hall, and PO. Box 210, Laredo, Texas 78042.

(d) The City of Laredo offers electronic funds transfer (ETF) payments in lieu of check payment when a vendor has filled out an Electronic Funds Transfer Authorization Form issued by the City of Laredo or upon request from the vendor. This ensures prompt payment directly deposited to a bank account. The estimated payment time is up fifteen (15) days from the date payment is processed. (e) For any inquiries on payment status or general billing questions please contact: Jorge J. Jolly, Accounts Payable Manager 956-791-7328 jjolly@ci.laredo.tx.us 1110

Houston St. Laredo, TX 78040.

☒ I Agree to the Terms and Conditions
(Required: Check if applicable)

6 Insurance Terms and Conditions

INSURANCE REQUIREMENTS If and when applicable or required by the contract, the successful bidder(s) shall furnish the City with original copies of valid insurance policies herein required upon execution of the contract and shall maintain said policies in full force and effect at all times throughout the term of this contract.

(a) Commercial General Liability insurance at minimum combined single limits of \$1,000,000 per-occurrence and \$2,000,000 general aggregate for bodily injury and property damage, which coverage shall include products/completed operations (\$1,000,000 products/completed operations aggregate) and XCU (Explosion, Collapse, Underground) hazards. Coverage must be written on an occurrence form. Contractual Liability must be maintained covering the Contractors obligations contained in the contract. The general aggregate limit must be at least two (2) times the each occurrence limit.

(b) Workers Compensation insurance at statutory limits, including Employers Liability coverage a minimum limits of \$1,000,000 each-occurrence each accident/\$1,000,000 by disease each-occurrence/\$1,000,000 by disease aggregate.

(c) Commercial Automobile Liability insurance at minimum combined single limits of \$1,000,000 per-occurrence for bodily injury and property damage, including owned, non-owned, and hired car coverage.

(d) Professional Liability, Errors & Omissions coverage, with minimum limits of \$1,000,000 per claim/ \$2,000,000 annual aggregate. This coverage must be maintained for at least two years after the project is completed. If coverage is written on a claims-made basis, a policy retroactive date equivalent to the inception date of the contract (or earlier) must be maintained during the full term of the contract.

(e) Any Subcontractor(s) hired by the Contractor shall maintain insurance coverage equal to that required of the Contractor. It is the responsibility of the Contractor to assure compliance with this provision. The City of Laredo accepts no responsibility arising from the conduct, or lack of conduct, of the Subcontractor.

(f) A Comprehensive General Liability insurance form may be used in lieu of a Commercial General Liability insurance form. In this event, coverage must be written on an occurrence basis, at limits of \$1,000,000 each-occurrence, combined single limit, and coverage must include a broad form Comprehensive General Liability Endorsement, products/completed operations, XCU hazards, and contractual liability.

(g) With reference to the foregoing insurance requirement, Contractor shall specifically endorse applicable insurance policies as follows:

1. The City of Laredo shall be named as an additional insured with respect to General Liability and Automobile Liability.
2. All liability policies shall contain no cross liability exclusions or insured versus insured restrictions.
3. A waiver of subrogation in favor of the City of Laredo shall be contained in the Workers compensation, and all liability policies.
4. All insurance policies shall be endorsed to require the insurer to immediately notify The City of Laredo of any material change in the insurance coverage.
5. All insurance policies shall be endorsed to the effect that The City of Laredo will receive at least sixty- (60) days' notice prior to cancellation or non-renewal of the insurance.
6. All insurance policies, which name The City of Laredo as an additional insured, must be endorsed to read as primary coverage regardless of the application of other insurance.
7. Required limits may be satisfied by any combination of primary and umbrella liability insurances.
8. Contractor may maintain reasonable and customary deductibles, subject to approval by The City of Laredo.
9. Insurance must be purchased from insurers that are financially acceptable to the City of Laredo. Insurer must be rated A- or greater by AM Best Rating with an admitted carrier licensed by the Texas Department of Insurance.
- (h) All insurance must be written on forms filed with and approved by the Texas Department of Insurance. Certificates of Insurance shall be prepared and executed by the insurance company or its authorized agent and shall contain provisions representing and warranting the following:

1. Sets forth all endorsements and insurance coverage's according to requirements and instructions contained herein.

2. Shall specifically set forth the notice-of-cancellation or termination provisions to The City of Laredo.

- (i) Upon request, Contractor shall furnish The City of Laredo with certified copies of all insurance policies.

(j) Certificates of insurance are subject to review and approval from the City of Laredo Risk Manager.

- (k) Specialty certificates and licenses must be inspected and verified for accuracy and validity before award of contract.

- (l) Awarded vendor is required to maintain current and active all: certifications, licenses, permits and/or insurance coverages, required to perform work, throughout the duration of this project/contract.

☒ I agree my insurance meets minumum requirements

(Required: Check if applicable)

7 Disqualification & Debarment Certification

DISQUALIFICATION & DEBARMENT CERTIFICATION By submitting this request for bids, proposal or statement of qualifications, the firm certifies that it is not currently debarred or eligible for debarment from the City of Laredo pursuant to **Ordinance No. 2017-O-098**, and that it is not an agent of a person or entity that is currently debarred from receiving contracts from any political subdivision or agency of the State of Texas. The contract parties are further prohibited from making any award at any tier to any party that is debarred or suspended or otherwise excluded from or ineligible for participation in Federal Assistance Programs under Executive Order 12549, "Debarment and Suspension."

By executing this agreement, the Engineer certifies that it is not currently debarred, suspended, or otherwise excluded from or ineligible for participation in Federal Assistance Programs under Executive Order 12549. The parties to this contract shall require any party to a subcontract or purchase order awarded under this contract to certify its eligibility to receive Federal funds and, when requested by the City, to furnish a copy of the certification. Additionally, in accordance with Chapter 2270, Texas Government Code, a governmental entity may not enter into a contract with a company for goods or services unless the contract contains a written verification from the company that it: (1) does not boycott Israel; and (2) will not boycott Israel during the term of the contract.

The signatory executing this contract on behalf of company verifies that the company does not boycott Israel and will not boycott Israel during the term of this contract. S.B. 252 (V. Taylor/S. Davis) is a bill relating to government contracts with terrorists. The bill provides that: (1) a governmental entity, including a city, may not enter into a governmental contract with a company that is identified on a list prepared and maintained by the comptroller and that does business with Iran, Sudan, or a foreign terrorist organization; and (2) a company that the United States government affirmatively declares to be excluded from its federal sanctions regime relating to Sudan, its federal sanctions regime relating to Iran, or any federal sanctions regime relating to a foreign terrorist organization is not subject to the contract prohibition under the bill.

☒ I certify to the terms and conditions
(Required: Check if applicable)

8 Contract Requirements

1.CODE OF ETHICS ORDINANCE Vendors doing business with the City of Laredo shall comply with all provisions of the City of Laredo's Code of Ethics (Ordinance, as amended). Vendors may be required to participate in Code of Ethics trainings.

1.2 PROHIBITED CONTACTS DURING CONTRACT SOLICITATION PERIOD A person or entity who seeks or applies for a city contract or any other person acting on behalf of such person or entity, is prohibited from contacting city officials and employees regarding such a contract after a Formal Bid, Request for Proposal (RFP), Request for Qualification (RFQ) or other solicitation has been released. This no-contact provision shall conclude when the contract is awarded. The City of Laredo reserves the right to contact respondents and may require such contact as part of the evaluation process (for presentation, clarification) of bids and/or negotiation of RFP submittal(s) prior to the award of contract. If contact is required, such contact will be done in accordance with provisions of Chapter 252 and 271 of the Texas Local Government Code and procedures incorporated into the solicitation document. Violation of this provision by respondents or their agents may lead to disqualification of their offer from consideration.

1.3 NON-COLLUSIVE AFFIDAVIT (Form can be downloaded and submitted through Cit-E-Bid system) The City may require that vendors submit a Non-Collusive Affidavit. The vendor will be required to state that the party submitting a proposal or bid, that such proposal or bid is genuine and not collusive or sham; that said Bidder has not colluded, conspired, connived or agreed, directly or indirectly, with any Bidder or Person, to put in a sham bid or to refrain from bidding, and has not in any manner, directly or indirectly, sought by agreement or collusion, or communication or conference, with any person, to fix the bid price or affiant or of any other Bidder, or to fix any overhead, profit or cost element of said bid price, or of that of any other Bidder, or to secure any advantage against the City of Laredo or any person interested in the proposed contract; and that all statements in said proposal or bid are true.

1.4 CONTRACT DISCLOSURE FORMS (This is submitted through Cit-E-Bid system) The City of Laredo requires the following forms to be completed as a part of this bid for consideration; 1. Company Information Questionnaire, 2. Signed Price Schedule, 3. Conflict of Interest Questionnaire, 4. Non-Collusive Affidavit 5. Discretionary Contracts Disclosure 6. Certificate of Interested Parties (Form 1295) ****Upon Award of RFP Only****

1.5 CONFLICT OF INTEREST FORMS (This is submitted through Cit-E-Bid system) Conflict of Interest Disclosure: A form disclosing potential conflicts of interest involving counties, cities, and other local government entities may be required to be filed after January 1, 2006, by vendors or potential vendors to local government entities. The new requirements are set forth in Chapter 176 of the Texas Local Government Code added by H.B. No. 914 of the last Texas Legislature.

1.6 TEXAS ETHICS COMMISSION (Form 1295, Form can be downloaded and submitted through Cit-E-Bid system) Certificate of Interested Parties (Form 1295) Implementation of House Bill 1295: In an effort to comply with state law the certificate of interested parties must be filled out once a vendor has been granted a contract. All of this information can be found on the state of Texas website, please use this link provided, <https://www.ethics.state.tx.us/tec/1295-Info.htm>. In 2015, the Texas Legislature adopted House Bill 1295, which added section 2252.908 of the Government Code. The law states that a governmental entity or state agency may not enter into certain contracts with a business entity unless the business entity submits a disclosure of interested parties to the governmental entity or state agency at the time the business entity submits the signed contract to the governmental entity or state agency. The law applies only to a contract of a governmental entity or state agency that either (1) requires an action or vote by the governing body of the entity or agency before the contract may be signed or (2) has a value of at least \$1 million. The disclosure requirement applies to a contract entered into on or after January 1, 2016. In order to comply with state law the Certificate of Interested Parties (Form 1295) must be submitted to the Texas Ethics Commission within 10 days upon receiving notice of award of contract. This form must be submitted within the allotted time otherwise this may result in the cancellation of the contract.

Changes to Form 1295:

Changes to the law requiring certain businesses to file a Form 1295 are in effect for contracts entered into or amended on or after January 1, 2018. The changes exempt businesses from filing a Form 1295 for certain types of contracts and replace the need for a completed Form 1295 to be notarized. Instead, the person filing a 1295 needs to complete an "unsworn declaration."

Compliance with the contract terms are the responsibility of the awarded vendor(s) and the respective City user department(s).

☒ I have read and understand this section
(Required: Check if applicable)

9	Questionnaire Description "The undersigned affirms that they are duly authorized to execute this contract, that this company, corporation, firm, partnership or individual has not prepared this bid in collusion with any other bidder, and that the contents of this bid as to prices, terms or conditions of said bid have not been communicated by the undersigned nor by any employee or agent to any other person engaged in this type of business prior to the official opening of this request. By submitting this bid the vendor agrees to the City of Laredo specifications and all terms and conditions stipulated in the proposed document. That I, individually and on behalf of the business named in this Business Questionnaire, do by my signature below, certify that the information provided in the questionnaire is true and correct".
10	Name of Offeror (Business) and Name & Phone Number of Authorized Person to sign bid Anderson Columbia Co., Inc., Berry O'Bryan, Vice President, (956)969-4614 <i>(Required: Maximum 1000 characters allowed)</i>
11	State how long under has the business been in its present business name 34 Years <i>(Required: Maximum 1000 characters allowed)</i>
12	If applicable, list all other names under which the Business identified above operated in the last five years N/A <i>(Required: Maximum 4000 characters allowed)</i>
13	State if the Company is a certified minority business enterprise The below information is requested for statistical and tracking purposes only and will not influence the amount of expenditure the City will make with any given company.
14	Questions Part 1 1) Is any litigation pending against the Business? 2) Has the Business ever been declared "not responsive" for the purpose of any governmental agency contract award? 3) Has the Business been debarred, suspended, proposed for debarment, suspended, proposed for debarment, declared ineligible, voluntarily excluded, or other wise disqualified from bidding, proposing or contracting? 4) Are there any proceedings, pending relating to the Business responsibility, debarment, suspension, voluntary exclusion, or qualification to receive a public contract? 5) Has the government or other public entity requested or required enforcement of any of its rights under a surety agreement on the basis of default or in lieu of declaring the Business at default? No <i>(Required: Maximum 4000 characters allowed)</i>

1 5	Questions Part 2
	1) Is the Business in arrears in any contract or debt? 2) Has the Business been a defaulter, as a principal, surety, or otherwise? 3) Have liquidated damages or penalty provisions been assessed against the Business for failure to complete work on time or any other reason?
	No
(Required: Maximum 4000 characters allowed)	

1 6	State if the Company is a certified minority business enterprise
	☐ Historically Underutilized Business (HUB) ☐ Small Disadvantaged Business Enterprise (SCBC)
	☐ Disadvantaged Business Enterprise (DBE) ☐ Other
	☒ This company is not a certified minority business
(Required: Check only one)	

1 7	Conflict of Interest Disclosure
	A form disclosing potential conflicts of interest involving counties, cities, and other local government entities may be required to be filed after January 1, 2006, by vendors or potential vendors to local government entities. The new requirements are set forth in Chapter 176 of the Texas Local Government Code added by H.B. No. 914 of the last Texas Legislature. Companies and individuals who contract, or seek to contract, with the City of Laredo and its agents may be required to file with the City Secretary's Office, 1110 Houston Street, Laredo, Texas 78040, a Conflict of Interest Questionnaire that describes affiliations or business relationships with the City of Laredo officers, or certain family members or business relationships of the City of Laredo officer, with which such persons do business, or any gifts in an amount of \$250.00 or more to the listed City of Laredo officer (s) or certain family members. The new requirements are in addition to any other disclosures required by law. The dates for filing disclosure statements begin on January 1, 2006. A violation of the filing requirements is a Class C misdemeanor. The Conflict of Interest Questionnaire (Form CIQ) may be downloaded from http://www.ethics.state.tx.us/whatsnew/conflict forms.htm. The City of Laredo officials who come within Chapter 176 of the Local Government Code relating to filing of Conflicts of Interest Questionnaire (Form CIQ) include: 1. Mayor 2. Council Members 3. City Manager 4. Members of the Fire Fighters and Police Officers Civil Service Commission. 5. Members of the Planning and Zoning Commission. 6. Members of the Board of Adjustments 7. Members of the Building Standards Board 8. Parks & Leisure Advisory Committee Member, 9. Historic District Land Board Member, 10. Ethics Commission Board Member, 11. The Board of Commissioners of the Laredo Housing Authority 12. The Executive Director of the Laredo Housing Authority 13. Any other City of Laredo decision making board member If additional information is needed please contact Miguel A. Pescador, Purchasing Agent at 956-794-1731.

1 8	Conflict of Interest Questionnaire Form CIQ
	For vendor or other person doing business with local governmental entity. This questionnaire reflects changes made to the law by H.B. 1491, 80th Leg., Regular Session. This questionnaire is being filed in accordance with Chapter 176, Local Government Code by a person who has a business relationship as defined by Section 176.001(1-a) with a local governmental entity and the person meets requirements under Section 176.006(a). By law this questionnaire must be filed with the records administrator of the local governmental entity not later than the 7th business day after the date the person becomes aware of facts that require the statement to be filed. See Section 176.006, Local Government Code. A person commits an offense if the person knowingly violates Section 176.006, Local Government Code. An offense under this section is a Class C misdemeanor.

1 9	Conflict of Interest Questionnaire
	Vendor is required to submit Conflict of Interest Form for bid to be considered complete. Have you submitted your completed Conflict of Interest Form with your response? ☒ Yes ☐ No (Required: Check only one)

20	Disclosure Form For details on use of this form, see Section 4.01 of the City's Ethics Code.
21	This is a ☒ New Submission ☐ Correction ☐ Update to previous submission <i>(Required: Check only one)</i>
22	Question 1. Name of person submitting this disclosure form Please include First Name, Middle Initial, Last Name and Suffix (if applicable) Berry O'Bryan, Vice President <i>(Required: Maximum 1000 characters allowed)</i>
23	Question 2. Contract Information Please include the following: a)Contract or Project Name b)Originating Department City of Laredo, FY22-075 Asphalt Cold Laid, Public Works <i>(Required: Maximum 4000 characters allowed)</i>
24	Question 3. Name of individual(s) or entity(ies) seeking a contract with the city (i.e. parties to the contract) Anderson Columbia Co., Inc. <i>(Required: Maximum 4000 characters allowed)</i>
25	Question 4. List any business entity(ies) that is a partner, parent, subsidiary business entity(ies) of the individual or entity listed in Question 3. ☒ Not Applicable ☐ It applies to my business <i>(Required: Check only one)</i>

2 6	Question 4. List any business entity(ies) that is a partner, parent, subsidiary business entity(ies) of the individual or entity listed in Question 3 If you selected Not Applicable on Question 4, skip this section. If it applies to you, please list the name of partner, parent, or subsidiary business entity(ies) in this section. N/A <i>(Optional: Maximum 4000 characters allowed)</i>
2 7	Question 5. List any individuals or entities that will be subcontractors on this contract ☒ Not Applicable ☐ It applies to my business <i>(Required: Check only one)</i>
2 8	Question 5. List any individuals or entities that will be subcontractors on this contract If you selected Not Applicable on Question 5, please skip this section. If it applies to you, please list subcontractors in this section. N/A <i>(Optional: Maximum 4000 characters allowed)</i>
2 9	Question 6. List any attorneys, lobbyists, or consultants that have been retained to assist in seeking this contract ☒ Not Applicable ☐ It applies to my business <i>(Required: Check only one)</i>
3 0	Question 6. List any attorneys, lobbyists, or consultants that have been retained to assist in seeking this contract If selected Not Applicable on question 6, please skip this section. If it applies to you, please list attorneys, lobbyists, or consultants that have been retained to assist in seeking this contract. N/A <i>(Optional: Maximum 4000 characters allowed)</i>

3 1	Question 7. Disclosure of political contributions
	List any campaign or officeholder contributions made by the following individuals in the past 24 months totaling more than \$100 to any current member of City Council, former member of City Council, any candidate for City Council, or to any political action committee that contributes to City Council elections. a) Any individual seeking contract with the city (Question 3) b) Any owner or officer of entity seeking contract with the city (Question 3) c) Any individual or owner or officer of any entity listed above as partner, parent, or subsidiary business (Question 4) d) Any subcontractor or owner/office of subcontracting entity for the contract (Question 5) e) The spouse of any individual listed in response to (a) through (d) above f) Any attorney, lobbyist, or consultant retained to assist in seeking contract (Question 6) ☒ Not Applicable ☐ It applies to my business <i>(Required: Check only one)</i>

3 2	Question 7. Disclosure of political contributions
	If you selected Not Applicable on question 7, please skip this section. If it applies to you, please list all contributors in this section. N/A <i>(Optional: Maximum 4000 characters allowed)</i>

3 3	Updates on contributions required
	Information regarding contributions must be updated by submission of a revised form from the date of the submission of this form, up through the time City Council takes action on the contracts identified in response to Question 2 and continuing for 30 calendar days after the contract has been awarded.

3 4	Question 8. Disclosure of Conflict of Interest
	Are you aware of any fact(s) with regard to this contract that would raise a "conflict of interest" issue under Section 2.01 of the Ethics Code for any City Council member or board/commission member that has not or will not be raised by these city officials? ☐ I am aware of conflict of interest ☒ I am not aware of any conflict of interest <i>(Required: Check only one)</i>

3 5	8. Disclosure of Conflict of Interest
	If you selected I am aware of conflict of interest is question 8, please list them in this section. N/A <i>(Optional: Maximum 4000 characters allowed)</i>

3 6	Question 9. Updates Required I understand that this form must be updated by submission of a revised form if there is any change in the information before the discretionary contract is the subject of action by the City Council, and no later than five (5) business days after any changes has occurred, whichever comes first. This include information about political contributions made after the initial submission and up until thirty (30) calendar days after the contract has been awarded. ☒ I have read and understand this section (Required: Check if applicable)
3 7	Question 10. No Contract with City Officials or Staff during Contract Evaluation I understand that a person or entity who seeks or applies for city contract or any other person acting on behalf of that person or entity is prohibited from contacting city officials and employees regarding the contract after a Request for Proposal (RFP), Request for Qualifications (RFQ), or other solicitation has been released. This no-contact provision shall conclude when the contract is posted as a City of Laredo Council agenda item. If contact is required with city officials or employees, the contact shall take place in accordance with procedures incorporated into the solicitation documents. Violation of this prohibited contacts provision set out in Section 2.09 of the Ethics Code by respondents or their agents may lead to disqualification of their offer from consideration. ☒ I have read and understand this section (Required: Check if applicable)
3 8	Question 11. Conflict of Interest Questionnaire (CIQ) Chapter 176 of the Local Government Code requires contractor and vendors to submit a Conflict of Interest Form (CIQ) to the Office the of City Secretary. ☒ I have acknowledge that I have been advised (Required: Check if applicable)
3 9	Question 11. Oath Please complete in this section the required information for your company: 1) Name 2) Title 3) Company or DBA 4) Date Berry O'Bryan, Vice President, Anderson Columbia Co., Inc., 7/18/2022 _____ _____ _____ _____ _____ (Required: Maximum 4000 characters allowed)
4 0	Question 12. Oath I swear or affirm that the statements contained in this Discretionary Contracts Disclosure Form, including any attachments, to the best of my knowledge and belief are true, correct, and complete. ☒ I swear or affirm information is correct (Required: Check if applicable)

Bid Lines

1	Notice is hereby given that the City of Laredo is now accepting sealed bids, subject to the Terms and Conditions of this Invitation for Bids and other contract provisions, for awarding an annual contract for the supply of Asphalt Cold Laid for Public Works and various City of Laredo Departments. Copies of the specifications may be obtained from the Finance Department – Purchasing Division, 5512 Thomas Ave., Laredo, TX 78041 or by downloading from our website: http://www.cityoflaredo.com/bids.html and clicking on Cit-E-Bid icon. Bids can be hand delivered to City Secretary Office, 1110 Houston St., 3rd Floor, Laredo, Texas 78040 or submitted through Cit-E-Bid system until 5:00 P.M. on July 18, 2022 and all submitted bids received will be opened and publicly acknowledged at 2:00 P.M. on July 19, 2022. <i>(Line excluded from response total)</i>
2	1.0 Scope of Work: The City is requesting bids for the following material: LRA PREMIX TYPE D PLUS & LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS OR Hot-Mix Cold-Laid Asphalt Concrete Pavement. The needs of the City shall govern the amount of materials requested by the City during contract period. The City of Laredo reserves the right to reject any or all bids, as well as the right to determine the bid most advantageous to the City. <i>(Line excluded from response total)</i> Item Notes: ** Bids without a Certified Laboratory Test Report will not be considered. **
3	2.0 General Conditions 2.1 Bidders are required to submit their bids upon the following expressed conditions: Bidders shall thoroughly examine the specifications, schedule instructions and other contract documents. Bidders shall make all investigations necessary to thoroughly inform themselves regarding both bridge's grounds and facilities for delivery of material and equipment as required by the bid conditions. No pleas of ignorance by the bidder of conditions that exist or that may hereafter exist as a result of failure of omission on the part of the bidder to make the necessary examinations and investigations, or failure to fulfill in every detail the requirements of the contract documents, will be accepted as a basis for varying the requirements of the City or the compensation to the vendor. 2.2 Bidders are advised that all City contracts are subject to all legal requirements provided for in the City Charter and/or applicable City Ordinances, State and Federal Statutes. 2.3 Unit prices shall be shown and where there is an error in extension of price, the unit price shall govern. <i>(Line excluded from response total)</i>
4	3.0 General Requirements 3.1 The general specifications for each material are listed in detail by category. Potential bidders must thoroughly review the City requirements. Bidders are hereby advised that some materials must be tested by an independent laboratory to ascertain compliance with the City's bid specifications. This testing must be done at the expense of the bidder and the independent testing laboratory must be approved by the City. Test designs shall be no older than one year. Bids without a Certified Laboratory Test Report will not be considered. 3.2 Some materials require that the vendor indicate the source of material. Bidders are reminded to include that information in the bid schedule. <i>(Line excluded from response total)</i> Item Notes: Bids without a Certified Laboratory Test Report will not be considered.
5	4.0 Cause for Termination of Contract - This materials contract may be terminated for any of the following reasons: 4.1 The material supplied continuously fails four (4) times to meet the specifications as included herein and as determined by the City Engineer or the testing laboratory procured, or 4.1.1 Deliveries are not made to the designated job site, plant site, Department of Public Works Compound and Department of Utilities Compound, F.O.B., or 4.1.2 Deliveries do not meet pre-set Department of Public Works or the Department of Utilities time schedules: 4.1.3 A 24-hour advance notice will be allowed: 4.1.3.1 Special cases, as equipment breakdown will be allowed more than five breakdowns in a year will be cause for termination. 4.1.3.2 The supplier will make every effort to deliver material to City in the event that less than a 24- hour notice is given. <i>(Line excluded from response total)</i>

6 5.0 Asphaltic Materials 5.1 Description: these specifications shall govern for the materials which shall be used for a base course, a leveling up course, a surface course or any combination thereof, and which shall be composed of a mixture of (1) Mineral Aggregate and Asphaltic material as necessary to meet the requirements for hot-mix asphaltic concrete pavement, and (2) limestone rock asphalt and fluxing materials as necessary to meet the requirements of cold- mix limestone rock asphalt. 5.2 Materials used in Hot-Mix Asphaltic Concrete Pavement shall meet the requirements as set forth in Item 340 of the Texas Department of Transportation, "Standard Specifications for Construction of Highways, Streets and Bridges 2014" or latest edition for the types of asphalt specified. Asphalt for the paving mixture shall be the type as determined by the City Engineer and shall meet the requirement of Item 300 "Asphalts, Oils and Emulsions", Texas Department of Transportation, "Standard Specifications for Construction of Highways, Streets and Bridges 2014" or latest edition. The supplier shall notify the engineer of the source of asphalt and submit a certificate of compliance of materials prior to design or production. These specifications shall also govern for all equipment for handling and mixing materials, which equipment shall conform to Texas Department of Transportation, "Standard Specifications for Construction of Highways, Streets and Bridges 2014" or latest edition, Item 340. Note: The supplier shall stockpile the material to be used to fulfill this contract per specifications herein designated, and shall make no substitutions of materials or specifications. If stockpiles are depleted, the supplier must assume all responsibility for such cost of sampling and testing other materials for compliance to specifications. 5.3 Sampling and Testing Bidders are hereby advised that material being bid is to be tested, at no expense to the City, by an independent testing laboratory approved by the City, and a copy of the laboratory test report is to be submitted as part of the bid for that particular material to ascertain compliance to the specifications. Test reports shall be no older than one year. Bids without a Certified Laboratory Test Report will not be considered. Sampling and testing procedures shall conform to the requirements of the ASTM Designation D979-74: 3:12. The material shall be approved by the City Engineer prior to use. Sampling and testing for the development of preliminary data shall be obtained by the purchaser. Sampling and testing for control of the product at the source of manufacture, storage, or site of use shall be obtained by the purchaser at his own expense. Sampling and testing for acceptance of testing shall be performed by an independent testing laboratory designated by the City Engineer. One copy of the test report shall be submitted to each; the engineer, the supplier and Department of Public Works Director. 5.4 Price Schedules: Bidders must complete the following: Bids shall be based on a per unit of material listed and shall include dollar amounts for each specific unit listed. Prices may be escalated during the course of the contract to the extent of price increases based on the oils required to manufacture the material in this contract, however, the supplier must submit detailed proof of overall refinery price change and the effect upon delivered prices, along with a "Price Breakdown" to show the City Engineer what constitutes the increase per unit of materials thirty days before unit prices are increased: Hot-Mix Asphaltic Concrete materials to conform to the Texas Department of Transportation, "Standard Specifications for Construction of Highways, Streets and Bridges 2014" or latest edition, Item 340 (Type D). 5.5 Delivery to be made within 24 hours from request. If material cannot be delivered within stated time, the City of Laredo reserves the right to approach an alternative source until primary supplier can resume or start delivering materials. When using an alternative supplier, material will be purchased at competitive prices as approved by the City. The difference in cost, if any, may be charged against contracted supplier.

(Line excluded from response total)

Item Notes: Bids without a Certified Laboratory Test Report will not be considered.

7 6.0 Hot-Mix Cold-Laid Asphalt Concrete Pavement Specifications - See Attachment A

(Line excluded from response total)

Item Notes: Bids without a Certified Laboratory Test Report will not be considered.

8 7.0 Term of Contract: The term of this contract shall be for a period of one (1) year beginning as of the date of its execution. The contract may be extended for three (3), additional one (1) year periods. Should the vendor desire to extend the contract for the additional one year period, it must so notify the City in writing no later than thirty (60) days before the expiration of the prior term. Such notification shall be effective upon actual receipt by the City. Renewals shall be in writing and signed by the City's Purchasing Manager & City Manager or his designee, without further action by the Laredo City Council, subject to and contingent upon appropriation of funding therefore. All annual contracts shall bound by the terms of the bid documents. The City shall also have the right to extend this contract under the same terms and conditions beyond the original term or any renewal thereof, on a month to month basis, not to exceed 3 months. Said month to month extensions shall be in writing, signed by the City's Purchasing Manager & City Manager or his designee, and shall not require City Council approval, subject to and contingent upon appropriation of funding therefore. 7.1 The City reserves the right to renew or rebid this contract, if the appropriated funds initially approved by City Council are exhausted before the contract expiration date. 7.2 This contract will shall be the responsibility of and administered by the vendor and the City of Laredo Public Works and Utilities Departments.

(Line excluded from response total)

9 8.0 Award of Contract: Submission and award of bid shall be based on the "Terms and Conditions of the Invitation for Bids", which is attached and is part of these specifications. This contract will be awarded by sections to the lowest responsive-responsible bidder or bidders based on the evaluation factors listed in the request for bid document, in accordance to the provisions of Chapters 252 and 271 of the State of Texas – Local Government Code. Annual Supply/Service Contract: This contract does not commit the City to purchase the quantities indicated. The quantities are estimates and are based on the best available information. The purpose of this contract is to establish prices for the commodities or services needed, should the City need to purchase these commodities or services. Since the quantities are estimates, the City may purchase more than the estimated quantities, less than the estimated quantities, or not purchase any quantities at all. The needs of the City shall govern the amount that is purchased and change orders shall not be applicable. 8.1 Disclosure of Interested Parties Section 2252.908 of the Texas Government Code requires a business entity entering into certain contracts with a governmental entity to file with the governmental entity a disclosure of interested parties at the time the business entity submits the signed contract to the governmental entity. Section 2252.908 requires the disclosure form (Form 1295) to be signed by the authorized agent of the contracting business entity, acknowledging that the disclosure is made under oath and under penalty of perjury. Section 2252.908 applies only to a contract that requires an action or vote by the governing body of the governmental entity before the contract may be signed or has a value of at least \$1 million. Section 2252.908 provides definitions of certain terms occurring in the section. Section 2252.908 applies only to a contract entered into on or after Jan. 1, 2016. (Only if awarded contract is approved by City Council). The form must be submitted electronically through the Texas Ethics Commission website. Once the form is submitted and given a unique registration number, the business entity must manually sign the form and have it notarized. The form should be sent to the government entity which will then verify the form on the Texas Ethics Commission website.

(Line excluded from response total)

10 9.0 ** Price Adjustment **During the period of this contract, prices may be increased and decreased. However, price changes will be governed by an index made up of the composite posted prices in the Laredo area of those companies published in the daily publication of Oil Price Information Service (OPIS). The base price shall be the OPIS average rack price for the Laredo area. The base price bid of the vendor will remain fixed during the contract period. The City of Laredo will allow unit price adjustments upwardly or downwardly when correlated with an industry wide adjustment. Any request for reasonable price adjustments will be considered. Justification for the requested adjustment on original fixed pricing must have mutual consent from both parties and be supported by appropriate documentation. The City will not take action to intentionally delay legitimate manufacturer unit price increases. The City of Laredo reserves the right to cancel the contract if the price increase is deemed excessive; a new contract vendor will be selected on the basis of competitive bids. Documentation may be emailed to mpescador@ci.laredo.tx.us.

(Line excluded from response total)

- 1 10.0 Delivery 10.1 Delivery of materials is to be made within 24 hours from request. If material cannot be delivered within stated time, the City of Laredo reserves the right to approach an alternative source until primary supplier can resume or start delivering materials. When using an alternative supplier, material will be contracted supplier.
(Line excluded from response total)

Item Attributes

1. Delivery

Delivery time for all items ordered under the terms and conditions of this contract are ____ working days from date of order. Bidder's business hours: From: ____ a.m. to ____ p.m. Days of week: ____

Unit Prices provided are FOB Anderson Columbia plant located at 8016 Mines Road, Laredo TX 78045.

Hours of operation are Monday through Friday from 7am to 5:00 pm.

(Required: Maximum 4000 characters allowed)

- 1 SECTION I - DELIVERY AND PICK UP
2 Asphalt Cold Laid Material (Commercial = LRA PREMIX TYPE D PLUS)
Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.
Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks
(Response required)

Quantity: 50000 UOM: Tons Price: \$ Total: \$

Supplier Notes:

- ☒ No bid
☐ Alternate specification
(Attach separate sheet)
☐ Additional notes
(Attach separate sheet)

Item Attributes

1. Price Required - Unit of Measure in Tons

Unit prices shall be shown and where there is an error in extension of price, the unit price shall govern.

☐ I have read and understood this requirement.

(Required: Check if applicable)

- 1 Line deleted as part of an Addendum
3

1
4

SECTION II - DELIVERY AND PICK UP

Flexible Base (Commercial = LRA TYPE B BLACKBASE TYPE 1 GRADE AA PLUS)

Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

(Response required)

Quantity: 50000 UOM: Tons

Price: \$

Total: \$

Supplier Notes:

☒ No bid☐ Alternate specification
(Attach separate sheet)☐ Additional notes
(Attach separate sheet)

Item Attributes

1. Price required - Unit of Measure in Tons

Unit prices shall be shown and where there is an error in extension of price, the unit price shall govern.

☐ I have read and understood this requirement.

(Required: Check if applicable)

1
5

Line deleted as part of an Addendum

1
6

SECTION III DELIVERY AND PICK UP

Hot-Mix Cold-Laid Asphalt Concrete Pavement Type D - (Item 334 from Texas Department of Transportation)

Job Site delivery, price per ton, F.O.B. delivered to Public Works and Utilities Department job sites.

Picked up by City trucks, price per ton, F.O.B. (local plant only) picked up by City trucks

(Response required)

Quantity: 50000 UOM: Tons

Price: \$

92.00

Total: \$

4,600,000.00

Supplier Notes: Price is for Anderson Columbia plant
located at 8016 Minus Rd, Laredo TX 78045.
Delivery not included.☐ No bid☐ Alternate specification
(Attach separate sheet)☐ Additional notes
(Attach separate sheet)

Item Attributes

1. Price Required - Unit of Measure in Tons

Unit prices shall be shown and where there is an error in extension of price, the unit price shall govern.

☐ I have read and understood this requirement.

(Required: Check if applicable)

1
7

Line deleted as part of an Addendum

Supplier Information

Company Name: Anderson Columbia Co., Inc.

Contact Name: Berry O'Bryan

Address: P.O. Box 565
Weslaco, Texas 78599

Phone: (956)969-4614

Fax: (956)968-0982


Email: _____

Supplier Notes

Unit price provided is FOB Anderson Columbia plant located
at 8016 Mims Rd, Laredo TX 78045. Delivery NOT included.

By submitting your response, you certify that you are authorized to represent and bind your company.

Berry O'Bryan, Vice President
Print Name


Signature



3302 Cuatro Vientos Drive, Suite No. 12
Laredo, Texas 78046
Phone 956 727 3530
Fax 956 727 3384
TBPE Registration No. F-10341

COLD MIX ASPHALTIC CONCRETE MIX DESIGN

Date: June 29, 2022 Report No.: 22M043-001
Spec Item: TxDOT 2014, Item 334 Tested/Sampled By: Richard Leyendecker, Jr.
Mix Type: Cold Mix Type "D" Fine Surface Producer: Anderson Columbia Co., Inc.


MATERIALS PROPERTIES

Aggregates:	Grade 4.....	38%	Asphalt Source:	VALERO
	Grade 5.....	24%	Asphalt Grade:	AC-0.6
	Grade 6.....	24%	Antistripping Additive:	NONE
	Asphalt Sand	14%	Sand Equivalent:	62%
			Crushed Faces:	90%

TxDOT 2014, Item 334 Cold Mix Type "D" Fine Surface		
<u>Sieve Size</u>	<u>Aggregate Blend Percent Passing</u>	<u>Percent Specified</u>
3/4"	100	100
1/2"	99.1	98 --- 100
3/8"	96.5	85 --- 100
No. 4	53.4	50 --- 70
No. 8	35.5	35 --- 46
No. 30	15.1	15 --- 29
No. 50	7.4	7 --- 20
No. 200	3.2	2 --- 7

SUMMARY DESIGN DATA

	Actual Results	Specifications
Optimum Asphalt Content, (%)	4.0	---
Air Voids, (%)	4.0	---
Optimum Density, (%)	95.0	95.0
VMA, (%)	14.3	14.0 Min.
Theo. Max. Specific Gravity (Gr)	2.484	---
Bulk Specific Gravity (Ga)	2.359	---



Report Distribution:
Anderson Columbia Co., Inc.

Reviewed By:

Jesse P. Rodriguez, P.E.

29, JUN, 22.
The test(s) were performed in general accordance with applicable ASTM, AASHTO, or DOT test methods. This report is for the exclusive use of the client indicated above and shall not be reproduced except in full without the written consent of our company. Test results transmitted herein are only applicable to the actual samples tested at the location(s) referenced and are not necessarily indicative of the properties of other apparently similar or identical materials.

File Version: 10/12/15 10:00:39

Recycled Binder, %
Bin No.8 : 0.0
Bin No.9 : 0.0
Bin No.10 : 0.0
Total 0.000

Ratio of Recycled to Total Binder, % (based on binder percent (%) entered below in this worksheet)	0.0
--	-----

Combined Gradation

Hydrated Lime?:		38.0		24.0		24.0		14.0		0.0		0.0		0.0		0.0		Total Bin	
Individual Bin (%)		Percent		Percent		Percent		Percent		Percent		Percent		Percent		Percent		100.0%	
Sieve Size:		Cum. % Passing		Cum. % Passing		Cum. % Passing		Cum. % Passing		Cum. % Passing		Cum. % Passing		Cum. % Passing		Cum. % Passing		Cum. % Passing	
3/4"		100.0	38.0	100.0	24.0	100.0	24.0	100.0	14.0	100.0	0.0	100.0	0.0	100.0	0.0	100.0	0.0	100.0	Yes
1/2"		100.0	38.0	100.0	24.0	100.0	24.0	93.8	13.1	100.0	0.0	100.0	0.0	100.0	0.0	94.7	0.0	99.1	Yes
3/8"		93.5	35.5	100.0	24.0	100.0	24.0	92.7	13.0	100.0	0.0	100.0	0.0	100.0	0.0	90.1	0.0	96.5	Yes
No. 4		8.8	3.3	69.4	16.7	100.0	24.0	66.8	9.4	100.0	0.0	100.0	0.0	100.0	0.0	65.3	0.0	53.4	Yes
No. 8		5.9	2.2	16.7	4.0	88.9	21.3	56.3	7.9	100.0	0.0	100.0	0.0	100.0	0.0	48.1	0.0	35.5	Yes
No. 30		3.8	1.4	5.2	1.2	23.9	5.7	47.6	6.7	100.0	0.0	100.0	0.0	100.0	0.0	20.1	0.0	15.1	Yes
No. 50		2.3	0.9	1.6	0.4	8.5	2.0	29.1	4.1	100.0	0.0	100.0	0.0	100.0	0.0	14.3	0.0	7.4	Yes
No. 200		1.2	0.5	0.5	0.1	6.7	1.6	7.1	1.0	100.0	0.0	100.0	0.0	100.0	0.0	4.3	0.0	3.2	Yes

	(Bold Italic) Not within specifications	(Bold Italic) Not within specifications- Restricted Zone	(<i>Italic</i>) Not cumulative
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68			
69			
70			
71			
72			
73			
74			
75			
76			
77			
78			
79			
80			
81			
82			
83			
84			
85			
86			
87			
88			
89			
90			
91			
92			
93			
94			
95			
96			
97			
98			
99			
100			

(Data Entry) Not Within Specifications	(Data Entry) Not Within Specifications	(Data Entry) Not Within Specifications
Lift Thickness, in:	Binder Substitution?	No Binder Originally Specified:
Asphalt Source:	Valero	Binder Percent, (%): 4.0 Asphalt Spec. Grav.: 1.021
Antistripping Agent:		Percent, (%):

Level 2 TxDOT Certification #537 Richard Levendecker Jr.

Page 3 of 11

HMACP MIXTURE DESIGN : SUMMARY SHEET

Target Density, %:	95.0
Number of Gyration:	

Effective Specific Gravity:	2.642
Optimum Asphalt Content :	4.0
Binder Ratio @ OAC:	0.0
VMA @ Optimum AC:	14.3

Estimated Percent of Stripping, %:	0
------------------------------------	---

<i>Interpolated Values</i>	
<i>Specific Gravity (Ga):</i>	2.359
<i>Max. Specific Gravity (Gr):</i>	2.482
<i>Theo. Max. Specific Gravity (Gl):</i>	2.484

Mixing Temp, °F:	250
Molding Temp, °F:	250

