

DATE: Oct 21, 2025 QUOTE #:372461-01

# CITY OF LAREDO PUBLIC UTILITIES

**Rueda, Marco** 210.630.8948

PO BOX 210 LAREDO, TEXAS 78042-0210

Ron Miller

# **BUY BOARD QUOTE CONTRACT #685-22**

One (1) New Caterpillar Inc Model: 303.5 CR Compact Construction Equipment with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER: HL1001522 SERIAL NUMBER: 0RE907077

SALE PRICE	\$58,020.45
EXT WARRANTY	Included
CSA	Included
TOTAL PRICE	\$58,020.45
SUB TOTAL	\$58,020.45
HET (0.181%)	\$105.02
TOTAL TAXES	\$105.02
TOTAL PURCHASE PRICE	\$58,125.47

## **WARRANTY**

Standard Warranty: 24 Month/2000 Hour Total Machine Limited Warranty

Extended Warranty: 303.5-36 MO/2000 HR POWERTRAIN + HYDRAULICS

CSA 500 & 1000HR PM Parts Only Kits (Maintenance parts only kits, excludes fluids)

## **MACHINE SPECIFICATIONS**

STOCK NUMBER: HL1001522 SERIAL NUMBER: 0RE907077

DESCRIPTION	REF.#
303.5 07A CR MHE DCA2D	664-8753
303.5 07A CR HYD EXCAVATOR	558-1751
SEAT, SUSPENSION, VINYL	519-9266
FILM, PRODUCT LINK, ANSI	541-4787
2 WAY CONTROL	542-1495
FILM, INC. CANADA	542-1504
BOOM LIGHT, LED	542-8886

Page 1

DESCRIPTION	REF.#
HYDRAULIC OIL, STD	546-1520
SOFTWARE, PROPORTIONAL CONTROL	557-1709
SOFTWARE, STICK STEER CONTROL	557-1710
SOFTWARE, CODED START	557-1713
ALARM, TRAVEL	558-1744
BOOM, STANDARD	558-1754
LINES, BOOM W/O BLCV	558-1760
LINES, STICK W/O SLCV	558-1763
CANOPY, ROPS	563-6658
TRACK, 12", RUBBER	566-2914
BLADE, ANGLE, BOCE	568-5199
TRAVEL LEVERS AND PEDALS	568-5200
INSTRUCTIONS, ANSI	569-3572
LINKAGE, BUCKET, W/LIFTING EYE	571-9088
STICK, LONG, W/ THUMB BRACKET	571-9661
UNDERCARRIAGE,FIXED,ANGLE BLD	571-9665
DRAIN, ECOLOGY	573-4364
LINES, BUCKET, LONG STICK	575-2776
CONTROL, 1ST AUX, JOYSTICK	575-4420
LINES, 1ST AUX, LONG STICK	575-7225
ENGINE, EPA TIER 4F	576-2961
MONITOR NEXT GEN, NO CAMERA	580-7179
ACCUMULATOR	588-2227
FILM, CANOPY	594-5727
FLOORMAT, CANOPY, W/TRAVEL	594-7895
SEAT BELT, 3" RETRACTABLE	599-7202
FILM, ROPS, ISO, CANOPY	602-3576
CAT KEY, WITH PASS CODE OPTION	661-9597
CWT, STANDARD	555-1839
LANE 3 ORDER	0P-9003
PRODUCT LINK, CELLULAR PL243	573-9677
SERIALIZED TECHNICAL MEDIA KIT	421-8926
SHIPPING/STORAGE PROTECTION	0P-2266
PACKING, LAST MILE PROGRAM	0P-4299
BUCKET-HD, 24", 4.2 FT3, 3T	464-9904

#### STANDARD EQUIPMENT

#### **POWERTRAIN**

Cat C1.7 NA engine (U.S. EPA Tier 4 Final/ JAPAN MLIT Tier 3) Automatic engine idle.

Automatic engine shutdown Automatic two speed travel Fuel water separator

#### **UNDERCARRIAGE**

Track, 300 mm (11.8") Dozer blade(BOCE) with float Tie downs on track frame

#### **HYDRAULICS**

Variable displacement piston pump Smart tech electronic pump Load sensing/flow sharing hydraulics Automatic swing brake

Hydraulic lockout - all controls One and two way auxiliary flow Continuous auxiliary flow Bio oil capable

## **ELECTRICAL**

12 volt electrical system Software (machine and monitor) 65 ampere alternator

650CCA maintenance free battery

Battery disconnect Signaling/warning horn 12 volt power socket

# **OPERATOR ENVIRONMENT**

Product link PLE243 (regulations apply) Cab sound pressure 94dB(A) ISO 6395 Coat hook

Next generation color LCD monitor (IP66) -Fuel level and coolant temperature

gauges

-Maintenance and machine monitoring -Performance and machine adjustments

-Numeric security code -Multiple languages

-Hour meter with wake up switch

Cup Holder

ROPS - ISO 12117-2:2008 TOPS - ISO 12117:1997 Top guard ISO 10262: 1998 Level I Adjustable wrist rests Non suspension vinyl seat Retractable high visibility seat belt

Utility space for mobile phone

Tilt operator station Storage pocket

Skylight

Mounting bosses for front guard

Removable washable floormat

#### OTHER STANDARD EQUIPMENT

Control Pattern Changer Caterpillar corporate "one key" system Door locks on cab door and external enclosure doors Lockable fuel cap

Beacon socket Joystick travel and steering mode Travel cruise control Boom light

# **INSTRUCTIONS**

REGIONAL STANDARD EQUIPMENT INCLUDES:

United States and Canada

- -Accumulator, certified
- -Retractable high visibility

seat belt 75mm (3")

- -Ecology drain engine
- -Auxiliary hydraulic lines
- -Auxiliary line quick disconnects

South America

- -Accumulator, certified
- -Retractable high visibility

seat belt 75mm (3")

- -Ecology drain engine
- -Auxiliary hydraulic lines
- -Auxiliary line quick disconnects