



DATE: Oct 21, 2025
QUOTE #:372461-01

CITY OF LAREDO PUBLIC UTILITIES
PO BOX 210
LAREDO, TEXAS 78042-0210

Rueda, Marco
210.630.8948

Ron Miller

BUY BOARD QUOTE
CONTRACT #685-22

One (1) New Caterpillar Inc Model: 303.5 CR Compact Construction Equipment with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER: HL1001522 SERIAL NUMBER: 0RE907077

SALE PRICE	\$58,020.45
EXT WARRANTY	Included
CSA	Included
TOTAL PRICE	\$58,020.45
SUB TOTAL	\$58,020.45
HET (0.181%)	\$105.02
TOTAL TAXES	\$105.02
TOTAL PURCHASE PRICE	\$58,125.47

WARRANTY

Standard Warranty:	24 Month/2000 Hour Total Machine Limited Warranty
Extended Warranty:	303.5-36 MO/2000 HR POWERTRAIN + HYDRAULICS
CSA	500 & 1000HR PM Parts Only Kits (Maintenance parts only kits, excludes fluids)

MACHINE SPECIFICATIONS

STOCK NUMBER: HL1001522 SERIAL NUMBER: 0RE907077

DESCRIPTION	REF.#
303.5 07A CR MHE DCA2D	664-8753
303.5 07A CR HYD EXCAVATOR	558-1751
SEAT, SUSPENSION, VINYL	519-9266
FILM, PRODUCT LINK, ANSI	541-4787
2 WAY CONTROL	542-1495
FILM, INC. CANADA	542-1504
BOOM LIGHT, LED	542-8886

DESCRIPTION	REF.#
HYDRAULIC OIL, STD	546-1520
SOFTWARE, PROPORTIONAL CONTROL	557-1709
SOFTWARE, STICK STEER CONTROL	557-1710
SOFTWARE, CODED START	557-1713
ALARM, TRAVEL	558-1744
BOOM, STANDARD	558-1754
LINES, BOOM W/O BLCV	558-1760
LINES, STICK W/O SLCV	558-1763
CANOPY, ROPS	563-6658
TRACK, 12", RUBBER	566-2914
BLADE, ANGLE, BOCE	568-5199
TRAVEL LEVERS AND PEDALS	568-5200
INSTRUCTIONS, ANSI	569-3572
LINKAGE, BUCKET, W/LIFTING EYE	571-9088
STICK, LONG, W/ THUMB BRACKET	571-9661
UNDERCARRIAGE, FIXED, ANGLE BLD	571-9665
DRAIN, ECOLOGY	573-4364
LINES, BUCKET, LONG STICK	575-2776
CONTROL, 1ST AUX, JOYSTICK	575-4420
LINES, 1ST AUX, LONG STICK	575-7225
ENGINE, EPA TIER 4F	576-2961
MONITOR NEXT GEN, NO CAMERA	580-7179
ACCUMULATOR	588-2227
FILM, CANOPY	594-5727
FLOORMAT, CANOPY, W/TRAVEL	594-7895
SEAT BELT, 3" RETRACTABLE	599-7202
FILM, ROPS, ISO, CANOPY	602-3576
CAT KEY, WITH PASS CODE OPTION	661-9597
CWT, STANDARD	555-1839
LANE 3 ORDER	0P-9003
PRODUCT LINK, CELLULAR PL243	573-9677
SERIALIZED TECHNICAL MEDIA KIT	421-8926
SHIPPING/STORAGE PROTECTION	0P-2266
PACKING, LAST MILE PROGRAM	0P-4299
BUCKET-HD, 24", 4.2 FT3, 3T	464-9904

STANDARD EQUIPMENT

POWERTRAIN

Cat C1.7 NA engine
(U.S. EPA Tier 4 Final/
JAPAN MLIT Tier 3)
Automatic engine idle.

Automatic engine shutdown
Automatic two speed travel
Fuel water separator

UNDERCARRIAGE

Track, 300 mm (11.8")
Dozer blade(BOCE) with float

Tie downs on track frame

HYDRAULICS

Variable displacement piston pump
Smart tech electronic pump
Load sensing/flow sharing hydraulics
Automatic swing brake

Hydraulic lockout - all controls
One and two way auxiliary flow
Continuous auxiliary flow
Bio oil capable

ELECTRICAL

12 volt electrical system
Software (machine and monitor)
65 ampere alternator
650CCA maintenance free battery

Battery disconnect
Signaling/warning horn
12 volt power socket

OPERATOR ENVIRONMENT

Product link PLE243 (regulations apply)
Cab sound pressure 94dB(A) ISO 6395
Coat hook
Next generation color LCD monitor (IP66)
-Fuel level and coolant temperature
gauges
-Maintenance and machine monitoring
-Performance and machine adjustments
-Numeric security code
-Multiple languages
-Hour meter with wake up switch
Cup Holder

Utility space for mobile phone
ROPS - ISO 12117-2:2008
TOPS - ISO 12117:1997
Top guard ISO 10262: 1998 Level I
Adjustable wrist rests
Non suspension vinyl seat
Retractable high visibility seat belt
Removable washable floormat
Tilt operator station
Storage pocket
Skylight
Mounting bosses for front guard

OTHER STANDARD EQUIPMENT

Control Pattern Changer
Caterpillar corporate "one key" system
Door locks on cab door and external
enclosure doors
Lockable fuel cap

Beacon socket
Joystick travel and steering mode
Travel cruise control
Boom light

INSTRUCTIONS

REGIONAL STANDARD EQUIPMENT INCLUDES:

United States and Canada

- Accumulator, certified
- Retractable high visibility seat belt 75mm (3")
- Ecology drain - engine
- Auxiliary hydraulic lines
- Auxiliary line quick disconnects

South America

- Accumulator, certified
- Retractable high visibility seat belt 75mm (3")
- Ecology drain - engine
- Auxiliary hydraulic lines
- Auxiliary line quick disconnects